AUTHOR INDEX

VOLUME 7 NUMBERS 1–6

A

Achával, Alberto, and **Ralph D. Ellefson.** Device for applying samples as a narrow band to thin-layer chromatograms 329

Ackermann, Hazel. See *Rees et al.* 396

Adrouni, B. See *Khachadurian et al.* 427

Ahrens, E. H., Jr. Editorial: A statement of editorial policy 1

———. Editorial: Purity of radiochemicals 181

Alexander, Nicholas M., Robert Scheig, and **Gerald Klatskin.** Effects of prolonged ingestion of glucose or ethanol on fatty acid synthesis by mitochondria and cell sap of rat liver and adipose tissue 197

———. See *Scheig et al.* 188

Antonis, A. See *Pilkington et al.* 73

Archibald, Francis M., and **Vladimir P. Skipski.** Determination of fatty acid content and composition in ultramicro lipid samples by gas–liquid chromatography 442

Ashworth, C. T., and **J. F. Lawrence.** Electron microscopic study of the role of lipid micelles in intestinal fat absorption 465

Avigan, Joel. See *Mize et al.* 692

———. See *Steinberg et al.* 684

B

Baker, Nome, and **Leon Wilson.** Water-soluble inhibitor(s) of tumor respiration formed from ultraviolet-induced oxidation of linoleic and linolenic acids 349

——— and ———. Water-soluble products of ultraviolet-irradiated, autoxidized linoleic and linolenic acids 341

Bartsch, Guenter G., and **Georg B. Gerber.** Incorporation of acetate-1-^{14}C into lipids by the perfused liver of normal, X-irradiated, or partially hepatectomized rats 204

Baumann, Wolfgang J., and **Helmut K. Mangold.** Synthesis of long-chain alkyl and alkenyl bromides 568

Baxter, James H. Origin and characteristics of endogenous lipid in thoracic duct lymph in rat 158

———. See *Mize et al.* 692

———. See *Steinberg et al.* 684

Beeston, J. W. U. See *Scott and Beeston* 456

Benjamin, William, and **Alfred Gellhorn.** RNA biosynthesis in adipose tissue: effect of fasting 285

Bennett, Mildred, and **Edmund Coon.** Inexpensive cartridge for the collection of radioactive methyl esters from gas–liquid chromatographs 448

Benson, A. A. See *Patton and Benson* 452

Bernsohn, Joseph. See *Miyamoto et al.* 664

Bezman-Tarcher, A., P. J. Nestel, J. M. Felts, and **R. J. Havel.** Metabolism of hepatic and plasma triglycerides in rabbits given ethanol or ethionine 248

Bierman, Edwin L., Thomas L. Hayes, James N. Hawkins, Alicia M. Ewing, and **Frank T. Lindgren.** Particle-size distribution of very low density plasma lipoproteins during fat absorption in man 65

Billimoria, J. D. See *Maclagan et al.* 242

Bjørnstad, Pål. Phospholipase activity in rat liver mitochondria studied by the use of endogenous substrates 612

——— and **Jon Bremer.** In vivo studies on pathways for the biosynthesis of lecithin in the rat 38

Björntorp, Per. Effect of ketone bodies on lipolysis in adipose tissue in vitro 621

Blecher, Melvin. See *Jones and Blecher* 422

Booth, D. A., H. Goodwin, and **J. N. Cumings.** Abnormal gangliosides in Tay-Sachs disease, Niemann-Pick's disease, and gargoylism 337

Bowen, David M. See *Hajra et al.* 379

Boyd, G. S., M. A. Eastwood, and **N. MacLean.** Bile acids in the rat: studies in experimental occlusion of the bile duct 83

Brady, D. R. See *Gaylor et al.* 501

Breckenridge, W. C. See *Kuksis and Breckenridge* 576

Bremer, Jon. See *Bjørnstad and Bremer* 38

Brockerhoff, H., and **M. Yurkowski.** Stereospecific analyses of several vegetable fats 62

Brody, Spencer J. See *Gluck et al.* 570

Brooks, S. C., V. C. Godefroi, and **W. L. Simpson.** Specific sites of fatty acid and sterol synthesis in isolated skin components 95

C

Calvert, Deane N. See *Lech and Calvert* 561

Cammermeyer, Jan. See *Steinberg et al.* 684

Capella, P. See *Fedeli et al.* 437

Carroll, K. K. See *Serdarevich and Carroll* 277

Carter, James R., and **Eugene P. Kennedy.** Enzymatic synthesis of cytidine diphosphate diglyceride 678

Chahl, J. S., and **C. C. Kratzing.** Environmental temperature and choline requirement in rats. I. Choline deficiency in rats at various temperatures 17

——— and ———. II. Choline and methionine requirements for lipotropic activity 22

Chaikoff, I. L. See *Clarenburg and Chaikoff* 27

Cirimele, M. See *Fedeli et al.* 437

Clarenburg, R., and **I. L. Chaikoff.** Origin of milk cholesterol in the rat: dietary versus endogenous sources 27

Clayton, R. B. See *Lasser and Clayton* 413
———. See *Lasser et al.* 403
Coggiola, Elaine L. See *Nichols and Coggiola* 215
Colacicco, Giuseppe, and **Maurice M. Rapport.** Lipid monolayers: action of phospholipase A of *Crotalus atrox* and *Naja naja* venoms on phosphatidyl choline and phosphatidal choline 258
Concone, Maria Carla. See *Menkes et al.* 479
Coon, Edmund. See *Bennett and Coon* 448
Cope, Diana G. See *Tallent et al.* 531
Couzens, E. A. See *Nestel and Couzens* 487
Crain, F. D. See *Lawrence et al.* 226
Creinin, Howard L. See *Narayan et al.* 150
Cross, Evelyn. See *Morris et al.* 210
Cumings, J. N. See *Booth et al.* 337

D

Davies, W. Ewart, Amiya K. Hajra, Surendra S. Parmar, Norman S. Radin, and **James F. Mead.** Decarboxylation of 2-keto fatty acids by brain 270
Day, A. J., N. H. Fidge, and **G. N. Wilkinson.** Effect of cholesterol in suspension on the incorporation of phosphate into phospholipid by macrophages in vitro 132
Dayton, Seymour, Sam Hashimoto, Wilfrid Dixon, and **Morton Lee Pearce.** Composition of lipids in human serum and adipose tissue during prolonged feeding of a diet high in unsaturated fat 103
DeLuca, Hector F. See *Lund and DeLuca* 739
Delwiche, C. V. See *Gaylor et al.* 501
Di Luzio, N. R. See *Saba and Di Luzio* 566
Dixon, Wilfrid. See *Dayton et al.* 103
Dobbins, J. See *Glomset et al.* 639
Dodge, James T., and **Gerald B. Phillips.** Autoxidation as a cause of altered lipid distribution in extracts from human red cells 387
Dunagin, P. E., Jr. See *Zachman et al.* 3
Dutton, H. J., and **T. L. Mounts.** Desaturation of fatty acids in seeds of higher plants 221

E

Eastwood, M. A. See *Boyd et al.* 83
Edwards, A. M. See *Lasser et al.* 403
Ellefson, Ralph D. See *Achâval and Ellefson* 329
Eneroth, Peter, Bruce Gordon, Ragnar Ryhage, and **Jan Sjovall.** Identification of mono- and dihydroxy bile acids in human feces by gas–liquid chromatography and mass spectrometry 511
———, ———, and **J. Sjövall.** Characterization of trisubstituted cholanoic acids in human feces 524
Ewing, Alicia M. See *Bierman et al.* 65

F

Fales, Henry M. See *Mize et al.* 692
———. See *Steinberg et al.* 684
Fedeli, E., P. Capella, M. Cirimele, and **G. Jacini.** Isolation of geranyl geraniol from the unsaponifiable fraction of linseed oil 437
Felts, J. M. See *Bezman-Tarcher et al.* 248
Fidge, N. H. See *Day et al.* 132
Fish, William A. See *Holstein et al.* 634
Fitch, Coy D. See *Morris et al.* 210
Foster, R. See *Pilkington et al.* 73
Freeman, C. P., and **D. West.** Complete separation of lipid classes on a single thin-layer plate 324
Funkhouser, J. T. See *Yesair et al.* 492

G

Gaylor, J. L., C. V. Delwiche, D. R. Brady, and **A. J. Green.** Preparation and properties of a cell-free system from rat skin that catalyzes sterol biosynthesis 501
Gellhorn, Alfred. See *Benjamin and Gellhorn* 285
Gerber, Georg B. See *Bartsch and Gerber* 204
Glomset, J. A., E. T. Janssen, R. Kennedy, and **J. Dobbins.** Role of plasma lecithin:cholesterol acyltransferase in the metabolism of high density lipoproteins 639
Gluck, Louis, Marie V. Kulovich, and **Spencer J. Brody.** Rapid quantitative measurement of lung tissue phospholipids 570
Godefroi, V. C. See *Brooks et al.* 95
Goldfien, Alan, K. S. Gullixson, and **G. Hargrove.** Evidence for centers in the central nervous system that regulate fat mobilization in dogs 357
Goldfine, Howard. Use of a filter-paper disk assay in the measurement of lipid biosynthesis 146
Goodman, DeWitt S. See *Quarfordt and Goodman* 708
Goodwin, H. See *Booth et al.* 337
Gordon, Bruce. See *Eneroth et al.* 511, 524
Gouaux, June. See *Rosenberg et al.* 733
Gould, R. Gordon, and **E. A. Swyryd.** Sites of control of hepatic cholesterol biosynthesis 698
Green, A. J. See *Gaylor et al.* 501
Green, David E., and **Alexander Tzagoloff.** Role of lipids in the structure and function of biological membranes (review) 587
Gregg, James A. New solvent systems for thin-layer chromatography of bile acids 579
Gullixson, K. S. See *Goldfien et al.* 357

H

Hagopian, Lillian M. See *Reissell et al.* 551
Hajra, Amiya K., David M. Bowen, Yasuo Kishimoto, and **Norman S. Radin.** Cerebroside galactosidase of brain 379
———. See *Davies et al.* 270
Hakomori, Sen-itiroh. Release of carbohydrates from sphingoglycolipid by osmium-catalyzed periodate oxidation followed by treatment with mild alkali 789
Hanson, Richard W., and **Zigmund Z. Ziporin.** Factors influencing the utilization of ketone bodies by mouse adipose tissue 56
———. See *Leveille and Hanson* 46
Hargrove, G. See *Goldfien et al.* 357
Hashimoto, Sam. See *Dayton et al.* 103
Hatch, Frederick T. See *Reissell et al.* 551
Hauser, Susan. See *Shefer et al.* 763
Havel, R. J. See *Bezman-Tarcher et al.* 248
Hawkins, James N. See *Bierman et al.* 65
Hayes, Thomas L. See *Bierman et al.* 65
Highet, Patricia F. See *Steinberg et al.* 684
Hirsch, Robert L., Daniel Rudman, and **Rosemary Travers.** Movement of lipids into and out of the blood during hyperlipidemia induced in rabbits by pituitary extract and Fraction H 182
Hoelzl, J., and H. Wagner. Simultaneous ^{32}P- and ^{14}C-labeling of phospholipids by germinating soybeans 569

Holstein, Thomas J., William A. Fish, and **William M. Stokes.** Pathway of cholesterol biosynthesis in the brain of the neonatal rat 634
Horlick, L. Effect of a new inhibitor of cholesterol biosynthesis (AY 9944) on serum and tissue sterols in the rat 116
Howell, Carolyn. See *Maclagan et al.* 242

I

Iritani, N., and **W. W. Wells.** Turnover of cholesterol-4-^{14}C and cholic acid-24-^{14}C by rabbits fed a diet containing lactose 372

J

Jacini, G. See *Fedeli et al.* 437
Janssen, E. T. See *Glomset et al.* 639
Jones, John A., and **Melvin Blecher.** Synthesis and characterization of 3-ketohexadecanoic acid-1-^{14}C, DL-3-hydroxyhexadecanoic acid-1-^{14}C, and *trans*-2-hexadecenoic acid-1-^{14}C 422

K

Kandutsch, A. A. Oxidation of 7-dehydrocholesterol by a mouse liver microsomal system dependent on reduced pyridine nucleotides 603
Katz, Ira, and **Mark Keeney.** Quantitative micro determination and isolation of plasmalogen aldehydes as 2,4-dinitrophenylhydrazones 170
Kean, Edward L. Separation of gluco- and galactocerebrosides by means of borate thin-layer chromatography 449
Keeney, Mark. See *Katz and Keeney* 170
Kennedy, Eugene P. See *Carter and Kennedy* 678
Kennedy, R. See *Glomset et al.* 639
Kensler, C. J. See *Yesair et al.* 492
Kessler, Jacques I., and **S. Yalovsky-Mishkin.** Effect of ingestion of saline, glucose, and ethanol on mobilization and hepatic incorporation of epididymal pad palmitate-1-^{14}C in rats 772
Khachadurian, A. K., B. Adrouni, and **H. Yacoubian.** Metabolism of adipose tissue in the fat tail of the sheep in vivo 427
Kishimoto, Yasuo, and **Norman S. Radin.** Determination of brain gangliosides by determination of ganglioside stearic acid 141
———. See *Hajra et al.* 379
Klatskin, Gerald. See *Alexander et al.* 197
———. See *Scheig et al.* 188
Kleiman, R. See *Tallent et al.* 531
Klopfenstein, William E., and **James W. Shigley.** Method for recovering sulfolipid from plant lipid extracts 564
Kratzing, C. C. See *Chahl and Kratzing* 17, 22
Krause, R. F. See *Lawrence et al.* 226
Kuksis, A., and **W. C. Breckenridge.** Improved conditions for gas–liquid chromatography of triglycerides 576
Kulovich, Marie V. See *Gluck et al.* 570
Kummerow, Fred A. See *Narayan et al.* 150
Kung, Elisabeth. See *Wostmann et al.* 77
Kupiecki, Floyd P. Partial purification of monoglyceride lipase from adipose tissue 230

L

Lang, Jessie M. See *Rosenfeld and Lang* 10
Lapidot, Y. See *Selinger and Lapidot* 174
Lasser, N. L., and **R. B. Clayton.** The intracellular distribution of sterols in *Eurycotis floridana* and its possible relation to subcellular membrane structures 413
———, **A. M. Edwards,** and **R. B. Clayton.** Distribution and dynamic state of sterols and steroids in the tissues of an insect, the roach *Eurycotis floridana* 403
Laster, Leonard. See *Ockner and Laster* 750
Law, John H. See *Thomas and Law* 453
Lawrence, C. W., F. D. Crain, F. J. Lotspeich, and **R. F. Krause.** Absorption, transport, and storage of retinyl-15-^{14}C palmitate-9,10-^{3}H in the rat 226
Lawrence, J. F. See *Ashworth and Lawrence* 465
Lech, John L., and **Deane N. Calvert.** Protein content and osmotic behavior of isolated fat cells 561
Lenaz, G. See *Viviani et al.* 473
Leveille, Gilbert A., and **Richard W. Hanson.** Adaptive changes in enzyme activity and metabolic pathways in adipose tissue from meal-fed rats 46
Lindgren, Frank T. See *Bierman et al.* 65
Lindstrom, Tom, and **Ian J. Tinsley.** Interactions in the metabolism of polyunsaturated fatty acids: analysis by a simple mathematical model 758
Lotspeich, F. J. See *Lawrence et al.* 226
Lowe, R. D. See *Pilkington et al.* 73
Lund, Judith, and **Hector F. DeLuca.** Biologically active metabolite of vitamin D_3 from bone, liver, and blood serum 739

M

Maclagan, N. F., J. D. Billimoria, and **Carolyn Howell.** Phospholipids of rat tissues after feeding pure phosphatidyl ethanolamine and lecithin 242
MacLean, N. See *Boyd et al.* 83
Mager, Milton. See *Spinella and Mager* 167
Mangold, Helmut K. See *Baumann and Mangold* 568
Marinetti, G. V. Low temperature partial alcoholysis of triglycerides 786
Marsh, Julian B., and **David B. Weinstein.** Simple charring method for determination of lipids 574
Mattson, F. H., and **R. A. Volpenhein.** Carboxylic ester hydrolases of rat pancreatic juice 536
McKinney, John A. See *Pangborn and McKinney* 627
Mead, James F. See *Davies et al.* 270
Menkes, John H., Michel Philippart, and **Maria Carla Concone.** Concentration and fatty acid composition of cerebrosides and sulfatides in mature and immature human brain 479
Milch, Peter. See *Rosenberg et al.* 733
Miyamoto, Kanji, Leo M. Stephanides, and **Joseph Bernsohn.** Fatty acids of glycerophosphatides in developing chick embryonic brain and liver 664
Mize, Charles E., Joel Avigan, James H. Baxter, Henry M. Fales, and **Daniel Steinberg.** Metabolism of phytol-U-^{14}C and phytanic acid-U-^{14}C in the rat 692
———. See *Steinberg et al.* 684
Morris, L. J. Separations of lipids by silver ion chromatography (review) 717
Morris, Manford D., Coy D. Fitch, and **Evelyn Cross.** Abnormalities of lipid metabolism in the vitamin E-deficient monkey 210
Mosbach, Erwin H. See *Shefer et al.* 763
Mounts, T. L. See *Dutton and Mounts* 221
Murray, Elspeth. See *Watson and Murray* 236

N

Narayan, K. Ananth, Howard L. Creinin, and **Fred A. Kummerow.** Disc electrophoresis of rat plasma lipoproteins 150

Nestel, P. J., and **E. A. Couzens.** Influence of diet on the composition of plasma cholesterol esters in man 487

———. See *Bezman-Tarcher et al.* 248

Nichols, Alex V., and **Elaine L. Coggiola.** Lipid transfer between human serum high density lipoproteins and egg yolk lipoproteins in incubation mixtures 215

Noble, Robert P. Automatic titration of plasma fatty acids by photocolorimetry 745

O

Ockner, Robert K., and **Leonard Laster.** Biosynthesis of Δ^7-cholesten-3β-ol, $\Delta^{5,7}$-cholestadien-3β-ol, and Δ^5-cholesten-3β-ol by guinea pig intestinal mucosa in vitro 750

O'Hara, David D., Daniel Porte, Jr., and **Robert H. Williams.** Use of constant composition polyvinylpyrrolidone columns to study the interaction of fat particles with plasma 264

———. See *Porte et al.* 368

Olson, J. A. See *Zachman et al.* 3

P

Pangborn, Mary C., and **John A. McKinney.** Purification of serologically active phosphoinositides of *Mycobacterium tuberculosis* 627

Parmar, Surendra S. See *Davies et al.* 270

Patton, Stuart, and **A. A. Benson.** Synthesis of phytanic acid 452

Pearce, Morton Lee. See *Dayton et al.* 103

Philippart, Michel. See *Menkes et al.* 479

Phillips, Gerald B. See *Dodge and Phillips* 387

Pilkington, T. R. E., R. D. Lowe, R. Foster, B. F. Robinson, and **A. Antonis.** Effect of sympathomimetic compounds with β-adrenergic effects on plasma free fatty acids in man 73

Porte, Daniel, Jr., David D. O'Hara, and **Robert H. Williams.** Lipid composition of fat particles from normal man and patients with idiopathic hypertriglyceridemia 368

———. See *O'Hara et al.* 264

Q

Quarfordt, Steven H., and **DeWitt S. Goodman.** Incorporation of labeled cholesterol esters into chylomicrons in vitro 708

R

Radin, Norman S. See *Davies et al.* 270

———. See *Hajra et al.* 379

———. See *Kishimoto and Radin* 141

Rapport, Maurice M. See *Colacicco and Rapport* 258

Rees, E. Douglas, Amy Eversole Shuck, and **Hazel Ackermann.** Lipid composition of rat mammary carcinomas, mammary glands, and related tissues: endocrine influences 396

Reissell, Pentti K., Lillian M. Hagopian, and **Frederick T. Hatch.** Thin-layer electrophoresis of serum lipoproteins 551

Robinson, B. F. See *Pilkington et al.* 73

Rogers, W. I. See *Yesair et al.* 492

Rosenberg, Abraham, June Gouaux, and **Peter Milch.** Monogalactosyl and digalactosyl diglycerides from heterotrophic, hetero-autotrophic, and photobiotic *Euglena gracilis* 733

——— and **Nora Stern.** Changes in sphingosine and fatty acid components of the gangliosides in developing rat and human brain 122

Rosenfeld, Bruno, and **Jessie M. Lang.** Diurnal changes in liver and plasma lipids of choline-deficient rats 10

Rosenthal, Arthur F. New, partially hydrolyzable synthetic analogues of lecithin, phosphatidyl ethanolamine, and phosphatidic acid 779

Rudman, Daniel. See *Hirsch et al.* 182

Ryhage, Ragnar. See *Eneroth et al.* 511

S

Saba, Thomas M., and **N. R. Di Luzio.** Method for collection and determination of $^{14}CO_2$ for in vitro metabolic studies 566

Scanu, A. Forms of human serum high density lipoprotein protein 295

Scheig, Robert, Nicholas M. Alexander, and **Gerald Klatskin.** Effects of prolonged ingestion of glucose or ethanol on tissue lipid composition and lipid biosynthesis in rat 188

———. See *Alexander et al.* 197

Schneider, Peter B. Permanent sensitive stain for choline-containing phospholipids on thin-layer chromatograms 169

Scott, T. W., and **J. W. U. Beeston.** Apparatus for applying samples to thin-layer chromatograms 456

Sechi, A. M. See *Viviani et al.* 473

Selinger, Z., and **Y. Lapidot.** Synthesis of fatty acid anhydrides by reaction with dicyclohexylcarbodiimide 174

Serdarevich, B., and **K. K. Carroll.** Synthesis and characterization of 1- and 2-monoglycerides of anteiso fatty acids 277

Shefer, Sarah, Susan Hauser, and **Erwin H. Mosbach.** Biosynthesis of cholestanol: 5α-cholestan-3-one reductase of rat liver 763

Shigley, James W. See *Klopfenstein and Shigley* 564

Shuck, Amy Eversole. See *Rees et al.* 396

Simpson, W. L. See *Brooks et al.* 95

Sjövall, Jan. See *Eneroth et al.* 511, 524

Skipski, Vladimir P. See *Archibald and Skipski* 442

Smith, Thomas M., and **Harold B. White, Jr.** Two-column gas–liquid chromatography of fatty acid methyl esters 327

Spector, Arthur A., and **Daniel Steinberg.** Relationship between fatty acid and glucose utilization in Ehrlich ascites tumor cells 657

——— and ———. Release of free fatty acids from Ehrlich ascites tumor cells 649

Spinella, Carmine J., and **Milton Mager.** Modified enzymatic procedure for the routine determination of glycerol and triglycerides in plasma 167

Steinberg, Daniel, Joel Avigan, Charles E. Mize, James H. Baxter, Jan Cammermeyer, Henry M. Fales, and **Patricia F. Highet.** Effects of dietary phytol and phytanic acid in animals 684

———. See *Mize et al.* 692

———. See *Spector and Steinberg* 649, 657

Stephanides, Leo M. See *Miyamoto et al.* 664
Stern, Nora. See *Rosenberg and Stern* 122
Stokes, William M. See *Holstein et al.* 634
Strauss, Elliott W. Electron microscopic study of intestinal fat absorption in vitro from mixed micelles containing linolenic acid, monoolein, and bile salt 307
Swyryd, E. A. See *Gould and Swyryd* 698

T

Tallent, W. H., R. Kleiman, and **Diana G. Cope.** Gas–liquid chromatography of silylated mixtures from lipolysis of triglycerides containing unusual fatty acyl groups 531
Thomas, Paul J., and **John H. Law.** Synthesis of an unsaturated diether analogue of phosphatidyl ethanolamine 453
Tinsley, Ian J. See *Lindstrom and Tinsley* 758
Travers, Rosemary. See *Hirsch et al.* 182
Trevelyan, William E. Preparation of phosphatidyl inositol from bakers' yeast 445
Tzagoloff, Alexander. See *Green and Tzagoloff* 587

V

Van Handel, Emile. Temperature independence of the composition of triglyceride fatty acids synthesized de novo by the mosquito 112
Viviani, R., A. M. Sechi, and **G. Lenaz.** Lipid metabolism in fatty liver of lysine- and threonine-deficient rats 473
Volpenhein, R. A. See *Mattson and Volpenhein* 536

W

Wagner, H. See *Hoelzl and Wagner* 569
Watson, William C., and **Elspeth Murray.** Fat digestion and absorption in the adrenalectomized rat 236
Weinstein, David B. See *Marsh and Weinstein* 574
Wells, W. W. See *Iritani and Wells* 372
West, D. See *Freeman and West* 324
Whereat, Arthur F. Fatty acid synthesis in cell-free system from rabbit aorta 671
White, Harold B., Jr. See *Smith and White* 327
Wiech, N. L. See *Wostmann et al.* 77
Wilkinson, G. N. See *Day et al.* 132
Williams, Robert H. See *O'Hara et al.* 264
———. See *Porte et al.* 368
Wilson, Leon. See *Baker and Wilson* 341, 349
Wostmann, B. S., N. L. Wiech, and **Elisabeth Kung.** Catabolism and elimination of cholesterol in germfree rats 77
Wuthier, Roy E. Purification of lipids from nonlipid contaminants on Sephadex bead columns 558
———. Two-dimensional chromatography on silica gel-loaded paper for the microanalysis of polar lipids 544

Y

Yacoubian, H. See *Khachadurian et al.* 427
Yalovsky-Mishkin, S. See *Kessler and Yalovsky-Mishkin* 772
Yesair, D. W., W. I. Rogers, J. T. Funkhouser, and **C. J. Kensler.** Purification and characterization of phthalanilide–lipid complexes from tissues 492
Yurkowski, M. See *Brockerhoff and Yurkowski* 62

Z

Zachman, R. D., P. E. Dunagin, Jr., and **J. A. Olson.** Formation and enterohepatic circulation of metabolites of retinol and retinoic acid in bile duct-cannulated rats 3
Ziporin, Zigmund Z. See *Hanson and Ziporin* 56

SUBJECT INDEX

VOLUME 7 NUMBERS 1-6

A

Absorption
- Of fat, *see* **Fat absorption**
- Of fatty acid and monoglyceride from bile salt micelles; distinction between uptake and triglyceride synthesis 307
  - effect of time and temperature of incubation 307
  - electron microscopy of intestine during 307
- Of lipid, *see* **Lipids:** Absorption of
- Of retinyl palmitate, hydrolysis and reesterification during 226

Acetate-^{14}C
- Incorporation into liver lipids; after X-irradiation or partial hepatectomy 204
  - enhanced after prolonged ethanol or glucose feeding 188
- Incorporation into sterols by intestinal mucosa 750
- Synthesis of fatty acids and sterols from, by mouse skin 95

Acetoacetate: *see* **Ketone bodies**

Acetyl CoA: Incorporation into fatty acids by cell fractions, effect of malonyl CoA on 197

Acrylamide gel: For disc electrophoresis of plasma lipoproteins 150

Actinomycin D: Suppression of repair of monoenoic fatty acid synthesis system by, in adipose tissue 285

Acyltransferase (lecithin:cholesterol): *see* **Lecithin:cholesterol acyltransferase**

Adipokinetic factors: In central nervous system, evidence for 357

Adipose tissue
- Arteriovenous differences of plasma triglycerides across 182
- Composition of, in rats with fatty liver 473
- Fatty acid composition of; effect of prolonged ethanol or glucose feeding on 188
  - in mosquitoes kept at various temperatures 112
  - long-term effect of unsaturated fat diet on 103
  - unreliability as index of adherence to diet 103
- Fatty acid mobilization from, effect of ethanol on 772
- Ketone body utilization by, in mouse, factors influencing 56
- Linoleic acid in, turnover time of; correlation with adiposity and weight change 103
  - in man 103
- Lipase activity in 46
- Lipase activity in, norepinephrine-stimulated, effect of ketone bodies on 621
- Lipogenetic enzyme activity in 46
- Metabolism of, during meal-eating and nibbling 46
- Mitochondria and cell sap of, effect of ethanol or glucose feeding on fatty acid synthesis by 197
- Monoglyceride lipase from; partial purification of 230
  - pH optimum of 230
- Of fat tail sheep, metabolism of, in vivo and during perfusion 427
- Phospholipid content of, high compared to other tissues 396
- RNA biosynthesis in, effect of fasting on 285

Adrenal: Sterol composition of, after AY 9944 treatment 116

Adrenal medullary secretion: Centers responsible for, in cervical spinal cord, evidence for 357

Adrenalectomy
- Effect on fat absorption 236
- Effect on fat mobilization 357

Adrenaline: *see* **Epinephrine**

α-Adrenergic blockade: By phenoxybenzamine 73

β-Adrenergic blockade: By propranalol 73

β-Adrenergic effects: Correlation with effect of sympathomimetic agents on plasma free fatty acids 73

α-Adrenergic effects: Lack of correlation with effect of sympathomimetic agents on plasma free fatty acids 73

Age variation: Of brain lipids in man 479

Alcohol acetates: GLC of, ultramicro 442

Alcoholysis: Of triglycerides, controlled and partial 786

Aldehydes
- Composition of, by GLC of corresponding alcohol acetates 170
- Reduction of, with $LiAlH_4$ 170
- Regeneration of, from 2,4-dinitrophenylhydrazones 170

Alkyl bromides: Synthesis of (long-chain and unsaturated) 568

Amino acid analysis: Of delipidated high density lipoprotein 295

Amino acids: Deficiency of, fatty liver resulting from, metabolic changes in 473

Analogues, synthetic
- Of lecithin, phosphonate ester type 779
- Of phosphatidic acid, phosphonate ester type 779
- Of phosphatidyl ethanolamine, phosphonate ester type 779
- Of phospholipids, nonhydrolyzable 779
- Of phospholipids, phosphonate ester type, diester, diether, and hydrocarbon derivatives 779

Analysis
- Of triglycerides of seven vegetable fats, fatty acid distribution (all three positions) 62
- Of vegetable oils, fatty acid distribution in triglycerides 62
- Stereospecific, of triglycerides of seven vegetable fats 62

Anhydrides: Of fatty and short-chain acids, new preparation of 174

Aorta
- Homogenization of, to allow subcellular fractionation 671
- Mitochondria of, fatty acid biosynthesis by, effect of cholesterol feeding on (rabbit) 671
- Sterol composition of, after AY 9944 treatment 116

Argentation chromatography: Of lipids (review) 717
Arteriovenous differences
In free fatty acids and glucose, across fat tail of sheep 427
In triglycerides across liver, adipose tissue, and kidney in rabbit 182
Artifact: In phospholipid extracts, autoxidation as cause of 387
Ascorbic acid: As cofactor for decarboxylating agent in brain, evidence for 270
Atheroma: Possible contribution to, by macrophages synthesizing phospholipid 132
Atherosclerosis: Cholesterol-induced in rabbit, effect on aortic mitochondrial fatty acid biosynthesis 671
Autoxidation
Of linoleic and linolenic acids, water-soluble products of 341, 349
Of microsomal lipids 603
Of phospholipids in red cell extracts 387
AY 9944 [*trans*-1,4-bis (chlorobenzylaminomethyl) cyclohexane]
As inhibitor of cholesterol biosynthesis 116
Effect on serum and tissue sterols in rats 116

B

Baboon: Plasma, lecithin:cholesterol acyltransferase in 639
Bacterial lipids: Extraction of C_{15} and C_{17} anteiso fatty acids from 277
BHT: *see* **2,6-Di-*tert*-butyl 4-methyl phenol**
Bile
Contribution to lymph lipids 158
Metabolites of retinal, retinol, and retinoic acid in 3
Bile acids
As major excretion pathway for cholesterol, evidence for 77
Dihydroxy, in feces, identification of 524
GLC of, various derivatives 511, 524
Mass spectrometry of, after GLC 511, 524
Of feces, identification by GLC and mass spectrometry 511, 524
Of intestine, after bile duct ligation in rat 83
Of plasma, after bile duct ligation in rat 83
Of urine, after bile duct ligation in rat 83
Oxidation products of, and their dimethylhydrazones, for identification 511, 524
TLC of; conjugated and unconjugated 579
various derivatives 511, 524
Trifluoroacetates of, GLC of 511, 524
Trihydroxy, in feces, identification of 511
Trimethyl silyl ethers (partial) of, GLC of 511, 524
Bile salt
Micelles; with fat, electron microscopy of 465
with fatty acid and monoglyceride, fat absorption from 307
Biosynthesis
Of cholesta-7,24-dienol, in developing rat brain 634
Of cholestanol, from 5α-cholestan-3-one, catalyzed by microsomal enzymes 763
Of cholesta-5,7,24-trienol, in developing rat brain 634
Of cholesterol; by cell-free system from rat skin 501
by intestinal mucosa 750
by mammary gland slices 27
effect of AY 9944 on, in rat 116
in developing rat brain 634
Of cytidine diphosphate diglyceride, by guinea pig liver microsomes 678
Of 7-dehydrocholesterol, by intestinal mucosa 750
Of deoxycholic acid, rate, in rabbits fed sucrose and lactose 372
Of desmosterol, in developing rat brain 634
Of epicholestanol, as "by-product" in biosynthesis of cholestanol 763
Of fatty acids; by aortic mitochondria, effect of cholesterol feeding on 671
by mammary gland, stimulation by estradiol-17β 396
by mitochondria and adipose tissue, effect of ethanol or glucose feeding on 197
from acetate, by mouse skin components 95
of triglycerides by mosquito; temperature and 112
Of lathosterol, by intestinal mucosa 750
Of lecithin, *see* **Phosphatidyl choline:** Biosynthesis of
Of linoleic acid, in seeds of higher plants, from oleic acid 221
Of linolenic acid, in seeds of higher plants, from linoleic acid 221
Of lipids; by liver, after X-irradiation or partial hepatectomy 204
by liver, enhanced after prolonged ethanol or glucose feeding 188
Of lipids (radioactive) from water-soluble precursors, assay after 146
Of oleic acid from stearic acid, by adipose tissue in vitro 285
Of phosphatidyl ethanolamine, inhibition by feeding pure phospholipids 242
Of phospholipids; by peritoneal macrophages in vitro, effect of added cholesterol on 132
inhibition by feeding pure phospholipids 242
Of polyunsaturated acids, from other fatty acids, mathematical model for 758
Of RNA, in adipose tissue and fat cells, effect of fasting on 285
Of squalene from acetate, by mouse skin components 95
Of sterols from acetate, by mouse skin components 95
Of triglyceride, in intestinal wall during fat absorption 307
Of zymosterol, in developing rat brain 634
Bone
Lipids from, paper chromatography of 544
Vitamin D_3 metabolite in 739
Borate: Impregnated silica gel, for TLC of cerebrosides 449
Brain
Cerebrosidase in (pig and rat) 379
Cerebrosides in, fatty acid composition of, with age 122
Cholesterol biosynthesis in, rat, from zymosterol via desmosterol 634
Enzymes (cerebrosidase) in 379
Enzymes for decarboxylation of keto fatty acids in 270
Gangliosides of; determination by GLC of fatty acids 141
fatty acid and C_{20}-sphingosine content with age 122
Gray and white matter of; fatty acid changes with age 479
fatty acid stability in formalin 479
fatty acids of, wide individual variation in 479
Hydrolytic enzymes for cerebrosides in 379
Of chick embryo, phospholipid fatty acid, composition of 664
Phospholipids in, complexing with phthalanilide, possible new class of 492
Sphingomyelin of, fatty acid composition of, with age 122
Bromides, alkyl: Synthesis of 568
Butter fat: Effect of ingested, on osmium staining of chylomicrons 65

C

Cacao butter: Triglyceride fatty acid distribution of 62
Calcium: Effect on phospholipase A-like activity in mitochondria 612
Caprylic anhydride: Preparation of 174
Carbohydrate: Dietary, increased monounsaturated cholesterol esters from 487
Carbon dioxide: Labeled, evolved in vitro, new apparatus for determination of 566
Carbon suspension: Use as control for phagocytic effects 132
Carcinoma
Fatty engorgement after estradiol-17β 396
Induction by 3-methylcholanthrene and 7,12-dimethylbenz(a)anthracene 396
Mammary; fatty development of 396
fatty, retention of C_{10}–C_{14} synthesizing enzymes by 396
Cardiolipin: Preparation of, from yeast 445
Cartilage
Lipids of; extracted with acidic solvents, removal of nonlipids from 558
paper chromatography of 544
Catabolism: Of cholesterol, in germfree rats 77
Cell sap: Biosynthesis of fatty acids by, effect of ethanol and glucose feeding on 197
Cells
Ehrlich ascites tumor; oxidation of free fatty acids by 657
release of free fatty acids from 649
Mammalian (other than adipose tissue), release of free fatty acids from 649
Central nervous system: Fat mobilization regulation by, evidence for 357
Centrifugation, density gradient: *see* **Density gradient centrifugation**
Cephalin: *see* **Phosphatidyl ethanolamine** or **Phosphatidyl serine**
Ceramide: Formation of, by enzymatic cleavage of cerebroside 379
Ceramide galactoside: Degradation of, to ceramide by brain cerebrosidase 379
Ceramide glucoside: Degradation of, to ceramide by brain cerebrosidase 379
Ceramide lactoside: Degradation of, to ceramide by brain cerebrosidase 379
Ceramide monosaccharides: Separation of galactose- from glucose-containing 449
Cerebronoyl-^{14}C psychosine
Preparation of 379
Use as substrate for brain cerebrosidase 379
Cerebrosidase: In brain of pig and rat and other organs of rat 379
Cerebrosides
Fatty acid composition of, with age 122
Of brain gray and white matter; content with age 479
fatty acid composition of 479
TLC of, according to saccharide residue 449
Chain elongation: By aortic mitochondria, effect of cholesterol feeding on 671
Charring: Of lipids, in test tubes, for their determination 574
Chemoreceptors: For glucose, in central nervous system, evidence for 357
Chick embryo
Liver, phospholipid fatty acid composition of 664
Phospholipid fatty acid composition of brain during development 664
Chinchilla: Effect of dietary phytol and phytanic acid on 684
Chocolate: Dietary, increased cholesteryl linoleate from 487
Cholanoic acids
Dihydroxy, in feces, identification of 524
Mono- and dioxygenated, in feces 524
Trioxygenated, in feces 511
Cholesta-7,24-dienol: Biosynthesis of, in developing rat brain 634
$\Delta^{5,7}$-Cholestadien-3β-ol: *see* **Lathosterol**
Cholestanol
Biosynthesis of, from 5α-cholestan-3-one, catalyzed by microsomal enzymes 763
In roach, tissue distribution of 403
"Sparing" action for cholesterol, in roach 403
5α-Cholestan-3α-ol: *see* **Epicholestanol**
5α-Cholestan-3-one: Conversion to cholestanol in rat liver, microsomal enzyme for 763
5α-Cholestan-3-one reductase
Distinction from other 3-β-hydroxysteroid dehydrogenases 763
In rat liver microsomes 763
Cholesta-5,7,24-trienol: Biosynthesis of, in developing rat brain 634
Δ^7-Cholestenol
Biosynthesis of, by mouse skin components 95
Distribution of, in roach tissues 403
Δ^5-Cholesten-3β-ol: *see* **Cholesterol**
Δ^7-Cholesten-3β-ol: *see* **7-Dehydrocholesterol**
Cholesterol
Biosynthesis of; by intestinal mucosa 750
by lactating mammary gland in vitro 27
by mouse skin components 95
feedback inhibition at several points in pathway 698
from desmosterol, in developing rat brain 634
inhibition by AY 9944 116
possible stimulation by vitamin E deficiency 210
via lanosterol demethylation, by rat skin homogenate 501
Content in serum and tissue of rats treated with AY 9944 116
Dietary; contribution to milk cholesterol 27
feedback inhibition on hepatic cholesterol biosynthesis in rat 698
Effect on phospholipid biosynthesis by macrophages 132
Half-life, in rabbits fed sucrose and lactose 372
In feces of rabbits fed sucrose 372
In roach, tissue concentrations of 403
Metabolism of, effect of vitamin E deficiency on, in monkey 210
Of high density lipoproteins, esterification by acyl transfer from lecithin 639
Of liver, in rabbits, elevated by lactose diet 372
Of milk, source of 27
Of plasma; esterification by acyl transfer from lecithin 639
in rabbits, elevated by lactose diet 372
Of serum, long-term effect of unsaturated fat diet on 103
Of tissues, displacement by cholestanol (in roach) 403
Oxidative catabolism of, (slow) in germfree fat 77
Uptake of, by mammary gland from chylomicrons 27

Cholesterol-26-^{14}C: As indicator of oxidative catabolism 77
Cholesterol-4-^{14}C: In chylomicrons, injection of 27
Cholesterol esterase: Lack of specificity of, in pancreatic juice 536
Cholesterol esters
Incorporation into chylomicrons in vitro 708
Of plasma, fatty acid composition of; effect of carbohydrate-rich diet on 487
effect of chocolate-rich diet on 487
effect of dietary composition on, in man 487
Transfer of, between plasma high density and egg yolk lipoproteins 215
Turnover of, in man 487
Cholestyramine: Feeding, effect on bile duct-ligated rats 83
Cholic acid: Feeding, effect on bile duct-ligated rats 83
Choline
Dietary supplement of, lack of effect on vitamin E deficiency 210
Phosphomolybdic blue stain for, application to TLC of phospholipids 169
Requirement for, to prevent fatty liver, in rats at different temperatures 22
Choline-1,2-^{14}C: In study of lecithin biosynthesis 38
Choline deficiency
Effect of environmental temperature on fatty liver induction by 17, 22
Effects on liver and plasma lipids, early 10
Choline glycerophosphatides: Fatty acid composition of, in chick embryo brain and liver 664
Chromatography
Of fatty acids, by argentation methods 717
Of neutral lipids, by argentation methods 717
Of polar lipids, by argentation methods 717
Of sterols, by argentation methods 717
Of terpenoid compounds, by argentation methods 717
Chromatography, anion-exchange: Of retinal, retinol, and retinoic acid 3
Chromatography, column
For purification of phosphatidyl ethanolamine from egg yolk 242
Monitoring by charring fractions for nonspecific lipid determination 574
Of alfalfa lipids 564
Of cerebrosides and sulfatides 479
Of 1- and 2-monoglycerides of anteiso fatty acids 277
Of phospholipids on diethylaminoethyl cellulose, micro 570
Of plant sulfolipid (purification) 564
Of triglycerides, asymmetric elution curves in 786
On silver ion-impregnated adsorbents (review) 717
Chromatography, gas–liquid
Accuracy of, for fatty acid methyl ester mixtures 327
Cartridges for collection of radioactive methyl esters, glass wool instead of anthracene filling 448
Column preparation for 576
Determination of ganglioside stearic acid by 141
Double internal standard for 141
Interference of BHT (2,6-di-*tert*-butyl 4-methyl phenol) in 387
Of alcohol acetates 442
Of alcohol acetates derived from plasmalogen aldehydes 170
Of bile acids and various derivatives 511, 524
Of diglyceride trimethylsilyl ethers 531
Of fatty acid methyl esters; preparative, collection on glass wool 448
radioactive, collection on glass wool 448
Of geranyl geraniol 437
Of glycerol as triacetin 442
Of lipolysis products of triglycerides, without prior separation 531
Of methyl esters from ultramicro lipid samples 442
Of monoglyceride trimethylsilyl ethers 531
Of triglycerides 576
Of trimethylsilyl ethers of sterols 95
On silver ion-impregnated stationary phases (review) 717
Two-stage, for accurate fatty acid quantification 327
Chromatography, ion-exchange: Of alfalfa lipids 564
Chromatography, paper
Of oligosaccharides from sphingolipids 789
Of phospholipids, on silica gel-loaded paper 544
On silver ion-impregnated adsorbents (review) 717
Silica gel-loaded, two-dimensional development 544
Chromatography, thin-layer
Application of large samples rapidly, device for 456
Application of samples as narrow band, device for 329
Of bile acids; conjugated and unconjugated 579
systems for 524
Of cerebrosides, gluco- and galacto- 449
Of 2,4-dinitrophenylhydrazones and methyl esters 170
Of galacto- and glucocerebrosides, separation 449
Of gangliosides (abnormal) 337
Of glycochenodeoxycholic and glycodeoxycholic acids 579
Of *trans*-2-hexadecenoic acid and methyl ester 422
Of 3-hydroxyhexadecanoic acid and methyl ester 422
Of 3-keto-hexadecanoic acid and methyl ester 422
Of lipid classes, all, on single plate by double development 324
Of 1- and 2-monoglycerides of anteiso fatty acids 277
Of phospholipids; choline-containing, sensitive detection after 169
quantified by charring and densitometry 570
Of plant sulfolipid 564
On Florisil impregnated with boric acid 277
On silica gel–boric acid 277
On silver ion-impregnated plates (review) 717
Wedge technique, applied to bile acids 579
Chylomicrons
Cholesterol of, uptake by mammary gland 27
Electrophoresis (thin-layer) of, on starch 551
Fixation by osmium tetroxide after feeding corn oil or butter fat 65
Hepatic clearance of 708
Incorporation of labeled cholesterol esters into 708
Precursors of, possible, detected by electron microscopy of intestine 307
Size of, ("primary particles") during fat absorption 65
Citrate: As source of acetyl CoA 46
$^{14}CO_2$: In investigation of biosynthesis of essential fatty acids in seeds 221
Cockroach: *see* **Roach**
Cold-exposure: Effect on fatty acid composition of triglycerides synthesized de novo 112
Competitive inhibition: Of fatty acids being converted to polyunsaturated fatty acids 758
Complement fixation: By phosphoinositides of *Mycobacterium tuberculosis* 627
Complex formation: Between lipid components of high density lipoproteins, evidence for 215

Complexes
Free fatty acid–albumin, molar ratio of; effect on oxidation of free fatty acids by cells 657
effect on release of fatty acid from cells 649
Composition: Of sterols, in tissues after AY 9944 treatment 116
Coprostanol: In feces of rabbits receiving lactose 372
Corn oil
Chylomicrons, size of, after absorption of 65
Triglyceride fatty acid distribution of 62
Countercurrent distribution: New solvent systems for 492
Cow: Colostrum, triglycerides of, GLC of 576
Cyclopropane fatty acid synthetase: Determination of activity by filter-paper disk assay 146
Cystine: Dietary supplement of, lack of effect on vitamin E deficiency 210
Cytidine diphosphate choline: As intermediate in lecithin biosynthesis in rat tissues 38
Cytidine diphosphate diglyceride
Biosynthesis of, by guinea pig liver microsomes 678
Enzymatic formation of, from CTP and phosphatidic acid 678
Cytidine nucleotides: Conversion of CTP to CDP diglyceride by microsomes 678
Cytidine triphosphate: Conversion to CDP diglyceride by microsomes 678
Cytoplasmic matrix: Of intestinal mucosal cells, droplet formation in, without enclosing membrane, during fat absorption 307
Cytoplasmic organelles: In intestinal mucosal cells, droplet formation in, during fat absorption 307

D

Decarboxylation: Of keto fatty acids, enzyme system from brain for 270
Deficiency: Of choline, *see* **Choline deficiency**
7-Dehydrocholesterol
Accumulation of, in tissues of rats treated with AY 9944 116
Biosynthesis of, by intestinal mucosa 750
Biosynthesis rate, in tissues of rats treated with AY 9944 116
Oxidation of; enzymatic (microsomal) 603
nonenzymatic and enzymatic 603
Delipidation: Of high density lipoprotein, properties of the protein after 295
Densitometry
Of disc electrophoretic patterns 150
Of phospholipids, after TLC and charring 570
Density gradient centrifugation: Heterogeneity of chylomicrons in 708
Deoxycholic acid
Biosynthesis of, daily rate, in rabbits fed sucrose and lactose 372
Half-life and pool size of, in rabbits fed sucrose and lactose 372
In rabbits fed sucrose and lactose, different metabolism of 372
Depot fat: *see* **Adipose tissue**
Dermis: Biosynthesis of fatty acids and sterols by 95
Desaturation: Of oleic and linoleic acids in seeds 221
Desmosterol: Biosynthesis of, from zymosterol, in developing rat brain 634
Determination
Of $^{14}CO_2$, improved apparatus for 566
Of fatty acids in ultramicro lipid samples 442
Of phosphorus in phospholipids on silica gel-loaded paper 544
Ultramicro, of bound fatty acids and fatty acid composition 442
see also Substance or class determined
Dicyclohexylcarbodiimide: For preparation of fatty acid anhydrides 174
Diet
Effect on cholesterol ester fatty acid composition, in man 487
High carbohydrate, effect on lipogenetic enzymes 46
High fat, effect on liogenetic enzymes 46
Lactose in, effect on steroid metabolism in rabbit 372
Requirement for sterols in, by roach 403
Unsaturated fat in, long-term effect on serum and adipose tissue lipids 103
Dietary cholesterol: Contribution to milk cholesterol 27
Dietary fatty acids: Effect on tissue fatty acid composition, mathematical model for 758
Diethers: Of glycerol, synthesis of unsaturated 453
Digalactosyl diglycerides: *see* **Galactosyl diglycerides**
Digestion: Of different types of esters 536
Diglycerides
Galactosyl, *see* **Galactosyl diglycerides**
GLC of, as trimethylsilyl ethers 531
Dihydrophytol: Preparation from phytol 452
Dihydrophytol-2,3-^{3}H: Preparation and use of 692
2,4-Dinitrophenylhydrazones
Of plasmalogen aldehydes; determination by spectrophotometry 170
preparation after methanolysis 170
regeneration of aldehydes from 170
separation from methyl esters 170
Disc electrophoresis: *see* **Electrophoresis, disc**
2,6-Di-*tert*-butyl 4-methyl phenol: Spurious peaks in GLC from 387
Dog
Brain, new phospholipid class in, evidence for 492
Fat mobilization in, regulated by central nervous system 357
Lymph, flocculation of fat particles by polyvinylpyrrolidone 264
Double labeling: Of phospholipids, with ^{32}P and ^{14}C 569
Dragendorff stain: Modification of 544

E

Editorials
Purity of radiochemicals 181
Statement of editorial policy 1
EDTA: Effect on phospholipase A-like activity in mitochondria 612
Egg yolk
Lipoproteins of, *see* **Lipoproteins, egg yolk**
Phosphatidyl ethanolamine, preparation from 242
Ehrlich ascites tumor cells: *see* **Cells:** Ehrlich ascites tumor
Eicosa-13-enoic acid: Occurrence in endogenous lymph lipids of rat 158
Electron microscopy
Determination of size distribution of plasma fat particles by 65

Fixation methods and fat staining 295
Of intestine during fat absorption from micelles 295
Of micelles, bile salt–fat, in vitro 465
Of micelles in intestine during fat absorption 465
Electrophoresis, disc: Of rat plasma lipoproteins 150
Electrophoresis, thin-layer 551
Enterohepatic circulation: Of metabolites of retinal, retinol, and retinoic acid 3
Enzyme
Esterifying cholesterol, possible preference for endogenous over dietary fatty acids 487
For oxidation of 7-dehydrocholesterol, microsomal 603
Hydrolyzing phosphatidyl ethanolamine, in rat liver mitochondria 612
Phospholipase A-like, in rat liver mitochondria 612
Enzyme activity: Effect of linkages in phospholipid substrate on 258
Enzyme induction: By RNA biosynthesis in adipose tissue 285
Enzyme kinetics: In fatty acid conversion to polyunsaturated fatty acids 758
Enzymes
Electron transport, dependence on presence of lipid 587
For lipogenesis; activity of, in meal-eating and nibbling rats 46
adaptation of, in response to high fat or carbohydrate diet 46
effect of fasting and refeeding on 56
For synthesis of C_{10}–C_{14} fatty acids, in study of mammary carcinomas 396
α-Glycerophosphate dehydrogenase, in modification of determination of glycerol 167
Hydrolytic (cerebrosidase) in pig and rat brain 379
Monoglyceride lipase, partial purification of 230
Epicholestanol: Biosynthesis of, from 5α-cholestan-3-one 763
Epidermis: Biosynthesis of fatty acids and sterols by 95
Epinephrine: Effect on glucose and fatty acid metabolism in fat tail sheep 427
Erythrocytes: Phospholipids from, autoxidation of 387
Esterase activity: Of "monoglyceride lipase" preparations, shown to be a contaminant 230
Esterases: In pancreatic juice, three possible enzymes 536
Esters
Of secondary alcohols, hydrolase for, in pancreatic juice 536
Water-insoluble, of primary alcohols, hydrolase for, in pancreatic juice 536
Estradiol-17β: Induction of fatty engorgement of carcinoma by 396
Ethanol
Effect on fatty acid metabolism in rat 772
Effects, long- and short-term, on triglyceride metabolism in rabbit 248
Prolonged feeding of; effect on fatty acid synthesis by mitochondria and cell sap 197
effect on lipid biosynthesis by liver and adipose tissue 197
effect on tissue lipid composition in rat 188
Ethanolamine glycerophosphatides
Fatty acid composition of, in chick embryo brain and liver 664
Of rumen protozoa, plasmalogen aldehyde content and composition of 170
Plasmalogen content and composition of 170
Ethanolamine-1,2-^{14}C: In study of lecithin biosynthesis 38
Ether analogues
Of diglycerides, synthesis of unsaturated 453
Of phosphatidyl ethanolamine, synthesis of unsaturated 453
Ethionine
Effect on triglyceride metabolism in rabbit 248
Suppression of triglyceride release from liver in rabbit 248
Euglena gracilis: Galactosyl diglycerides of, under different growth conditions 733
Eurycotis floridana: see **Roach**
Excretion: Of metabolites of retinal, retinol, and retinoic acid 3

F

Farnesyl pyrophosphate: Biosynthesis of, from mevalonate, feedback inhibition by dietary cholesterol 698
Fasting
Effect on fatty acid metabolism in rat 772
Effect on RNA biosynthesis in adipose tissue 285
Fat
Mobilization of, regulation by central nervous system of 357
Particles, *see* **Fat particles**
Unsaturated, in diet, long-term effect on serum and adipose tissue lipids 103
Fat absorption
Electron microscopy of 465
In hypoadrenal rat 236
Size distribution of plasma lipoproteins after 65
Fat cells: Isolation of, in albumin-free buffer 561
Fat cells, isolated
Norepinephrine and insulin response of 561
Osmotic properties of, in albumin-free buffer 561
Protein determination of 561
RNA biosynthesis in 285
Fat load: Composition of plasma fat particles after, in man 368
Fat pad: *see* **Adipose tissue**
Fat particles
In hyperlipemia, separation of, from primary and secondary particles 368
Of lymph and plasma, primary and secondary, separation and interconversion of 264
Primary and secondary, similar size distributions of 65
Fatty acid
Activation of, possible role in impairment of fat absorption by adrenalectomy 236
Anhydrides, new preparation of 174
Synthetase (cyclopropane), *see* **Cyclopropane fatty acid synthetase**
Transport of, across mucosal membrane, possible role in impairment of fat absorption by adrenalectomy 236
Fatty acid composition
By GLC, in ultramicro samples 442
Of adipose tissue, after prolonged ethanol or glucose feeding 188
Of adipose tissue of fat tail sheep 427
Of galactosyl diglycerides of *Euglena gracilis* in different environments 733
Of glycerophosphatide fractions, in chick embryo brain and liver 664
Of liver, after prolonged ethanol or glucose feeding 188
Of phospholipids, effect of autoxidation on 387

Of triglycerides synthesized by mosquitoes at various temperatures 112
Fatty acid distribution: In triglycerides of seven vegetable oils 62
Fatty acid methyl esters
GLC of; on two columns in succession 327
radioactive, collection on glass wool 448
Quantification of, by GLC, accuracy for certain mixtures 327
Fatty acid oxidation: Lack of unsaturation specificity at different body temperatures 112
Fatty acids
Anteiso; extraction of, from bacterial lipids 277
1- and 2-monoglycerides of, preparation of 277
Biosynthesis of; by aortic mitochondria, effect of cholesterol feeding on 671
by mouse skin components 95
C_{10}–C_{14}, in mammary carcinomas 396
Catabolism of, decarboxylation of 2-keto fatty acids by brain enzyme 270
Decarboxylation of 2-keto, by enzyme from brain 270
Determination of, ultramicro, in lipids by GLC 442
Dietary and tissue, mathematical model for biochemical conversion of 758
2-Keto, decarboxylation of, by brain powder system 270
Labeled in vivo in epididymal fat pad 772
Mobilization of, from epididymal fat pad, effect of ethanol on 772
Of cerebrosides and sulfatides of human brain 479
Of endogenous lymph lipid, source of 158
Of gangliosides of rat and human brain, with age 122
Of liver lipids, changes in, after X-irradiation or partial hepatectomy 204
Of sphingolipids of rat and human brain, with age 122
Phytanic acid; accumulation of, in animals 684
metabolism of, in rat 692
Polyunsaturated; biosynthesis of, from other fatty acids, mathematical model for 758
in glycerophosphatide fractions of chick embryo brain 664
see also **Linoleic acid** and **Linolenic acid**
Separation of, by degree of unsaturation 717
Fatty liver
Amino acid deficiency-induced; lipids not mobilized from adipose tissue in 473
liver lipid in 473
plasma lipids in 473
Choline deficiency-induced; early changes in "floating fat" fraction 10
effect of environmental temperature on 17, 22
prevention of, by choline or methionine supplementation 22
Ethanol-induced, mobilization of prelabeled epididymal fatty acids in 772
Ethionine-induced, in rabbit 248
Failure of ethanol to induce, in rabbit 248
Induced by pituitary extract, mobilization of triglycerides from 182
Lysine and threonine deficiency and 473
Phospholipids in, composition and acetate incorporation into 473
Phytol-induced (mild) 684
Feces
Bile acids of, identification by GLC 511, 524
Cholesterol and cholestanol in (rabbit), effect of dietary sugar on 372
Feedback inhibition: Of cholesterol biosynthesis in rat 698
Feeding: Prolonged vs. short-term, effects of ethanol and glucose on lipid metabolism 188, 197
FFA: *see* **Free fatty acids**
Filter-paper disk: For determination of lipids after biosynthesis 146
Flax: Seed triglycerides, desaturation of oleic acid in 221
Formalin: Effect on human brain lipids 479
Fraction H: Induction of hyperlipidemia by, source of triglycerides in 182
Free fatty acids
Absorption of linolenic acid, from bile salt micelles 307
Albumin molar ratio, effect on free fatty acid oxidation rate 657
Arteriovenous differences in, across fat tail of sheep 427
Automatic titration of, in single-phase system 745
Mobilization of, under regulation by central nervous system 357
Of chick embryo brain and liver, composition of 664
Of plasma; arteriovenous differences in, across kidney in rabbit 182
effect of β-adrenergic agents on 73
Oxidation of, effect of glucose in Ehrlich ascites tumor cells on 657
Release of; by epididymal fat pad, effect of β-hydroxybutyrate on 56
from cells, effect of glucose and cyanide on 649
from Ehrlich ascites tumor cells, to media containing albumin 649
Uptake of, by Ehrlich ascites tumor cells; effect of glucose on 657
from media containing albumin 649
Freon 113: New solvent, use of 492
Fumaric acid: As cofactor for decarboxylating agent in brain, evidence for 270

G

Galactocerebrosides: Separation of, from glucocerebrosides by TLC 449
Galactose: Content of, in abnormal gangliosides in various diseases 337
Galactosidase: In brain, active toward unnatural and ceramide galactosides 379
Galactosyl diglycerides (mono- and di-)
Fatty acid composition of, as taxonomic indicator 733
Of *Euglena gracilis;* hetero-autotrophic, heterotrophic, and photobiotic, comparison of galactose content and fatty acid composition of 733
isolation of 733
light-grown and dark-grown in organic and inorganic media, comparison of 733
Gangliosides
Determination of, by assessment of stearic acid by GLC 141
Fatty acid composition of, with age 122
In gargoylism, molar ratios of 337
In Niemann-Pick's disease, molar ratios of 337
In Tay-Sachs disease, molar ratios of 337
Lacking hexosamine 337
Molar ratios (*N*-acetyl neuraminic acid:galactose:sphingosine) of abnormal 337
Of white matter and cortex, abnormal 337

Sphingosine (C_{18} and C_{20}) composition, with age 122
Gargoylism: Abnormal gangliosides in, composition of 337
Gas–liquid chromatography: *see* **Chromatography, gas–liquid**
Gastric emptying: By determination of percentage of radioactive fat remaining 236
Gaucher spleen: Cerebrosidase in 379
Gel filtration: Of high density lipoproteins, to demonstrate heterogeneity 639
Geranyl geraniol
GLC of 437
Isolation of, from linseed oil and peanut oil 437
Nuclear magnetic resonance spectrum of 437
Germfree rats: Rate of cholesterol catabolism in 77
Glomset enzyme: *see* **Lecithin:cholesterol acyltransferase**
Glucagon: Effect of, on glucose and fatty acid metabolism in fat tail of sheep 427
Glucocerebrosides: Separation of, from galactocerebrosides by TLC 449
Glucose
Absence of, from abnormal gangliosides in various diseases 337
Arteriovenous differences in, across fat tail of sheep 427
Effect of, on fatty acid metabolism in rat 772
Effect of, on free fatty acid oxidation by tumor cells 657
Prolonged feeding of; effect on fatty acid synthesis by mitochondria and cell sap 197
effect on lipid biosynthesis by liver and adipose tissue 197
effect on tissue lipid composition in rat 188
Sparing effect on free fatty acid oxidation 657
Stimulation of free fatty acid esterification in cells 657
Stimulation of free fatty acid uptake by cells 657
Uptake of, by Ehrlich ascites tumor cells 657
Glucose receptors: In central nervous system, indirect evidence for 357
Glucosidase: In brain, active toward ceramide glucose 379
Glyceride structure: Analysis of, by nuclear magnetic resonance 277
Glycerides: Transfer of, between plasma high density and egg yolk lipoproteins 215
Glycerokinase: Use of, in modification of enzymatic determination of glycerol 167
Glycerol
Determination of, in plasma, modified enzymatic procedure for 167
Determination of, ultramicro, by GLC 442
Free and glyceride, determination of, by enzymatic procedure 167
Glycerol ethers: Synthesis of racemic 1,2-octadec-9′-enyl diether 453
Glycerophosphatides
Of chick embryo brain, during development 664
Of egg yolk, fatty acid composition of 664
Glycine conjugates: Of chenodeoxycholic and deoxycholic acids, separation of, by TLC 579
Glycolipids: Of *Mycobacterium tuberculosis*, identification of 627
Gradient elution: For purification of phosphatidyl ethanolamine from egg yolk 242
Gray matter: Ganglioside in, determination of 141
Growth hormone: Lack of effect of, on fat mobilization in dogs 357
Guinea pig
Intestinal mucosa of, synthesis of sterols by 750
Liver, microsomes of, synthesis of cytidine diphosphate diglyceride by 678

H

Hamster: Intestine of, electron microscopic study during fat absorption of 307
Hepatectomy (partial): Effect on lipid biosynthesis in liver (during regeneration) 204
Hepatic necrosis: Etiology of 83
***trans*-2-Hexadecenoic acid-1-^{14}C:** Synthesis, TLC, and IR spectrum of 422
Hexosamine: Absence from abnormal gangliosides in various diseases 337
Hydrogen peroxide: As product of autoxidation of linoleic and linolenic acid 341
Hydrolysis: Of retinyl palmitate, during absorption, transport, and storage 226
Hydroperoxides
As possible inhibitors of tumor respiration 349
As products of autoxidation of linoleic and linolenic acids 341
β-Hydroxybutryate
Effect on free fatty acid release by adipose tissue in vitro 56
see also **Ketone bodies**
DL-3-Hydroxyhexadecanoic acid-1-^{14}C: Synthesis, TLC, and IR spectrum of 422
3-α-Hydroxysteroid dehydrogenase: In rat liver microsomes, reduction of 5α-cholestane-3-one by 763
3-β-Hydroxysteroid dehydrogenase: In rat liver microsomes, reduction of 5α-cholestane-3-one by 763
Hyperlipemia: *see* **Hypertriglyceridemia**
"Hyperlipemia" particles: Composition of, contrasted with primary and secondary particles 368
Hyperlipidemia: Induced by pituitary extract or Fraction H, liver as source of triglycerides in 182
Hypertriglyceridemia
After ethanol feeding, in rabbit 248
Fat particles in, behavior of, on polyvinylpyrrolidone columns 368
Hypoglycemia: Induced by 2-deoxyglucose, effects on plasma free fatty acid levels 357
Hypophysectomy: Effect on fat mobilization 357

I

Immunoelectrophoresis
Of delipidated high density lipoprotein 295
On starch gel 295
Infrared spectra
Assignment of bands for phospholipids 779
Of *trans*-2-hexadecenoic acid 422
Of 3-hydroxyhexadecanoic acid 422
Of 3-ketohexadecanoic acid 422
Of phospholipids and synthetic analogues thereof 779
Inhibition
Of cholesterol biosynthesis by AY 9944 116
Of hepatic synthesis of phosphatidyl ethanolamine, by feeding it 242
Insulin
Effect on glucose and fatty acid metabolism in fat tail of sheep 427
Response of fat cells (isolated in albumin-free buffer) to 561

Intestinal flora: Possible contribution of 20:1ω6 acid to lymph lipids 158
Intestinal microflora: Oxidative cholesterol catabolism, accelerating effect on 77
Intestinal mucosa
Content of sterols in 750
Intracellular reesterification in, unimpaired by adrenalectomy 236
Proximal and distal portions of, content and synthesis of sterols in 750
Subcellular fractions of, hydrolysis of retinyl ester in 226
Synthesis of sterols by; guinea pig and rat 750
in vitro 750
proximal, middle, and distal portions of 750
Intestinal wall: Phospholipids of, after feeding olive oil or phospholipids 242
Intestine
Bile acids of, after bile duct ligation 83
Contribution to lymph lipids 158
Electron microscopy of, during fat absorption from micelles 295
Metabolites of retinal, retinol, and retinoic acid in 3
Intestine, small: Electron microscopy of, during fat absorption 465
Intravenous injection: Of sympathomimetic compounds, effect on plasma free fatty acids 73
Iron (ferrous): As cofactor for decarboxylating agent in brain, evidence for 270
Isomerization: Of 1- and 2-monoglycerides, avoidance of, in column chromatography 277
Isotopic equilibrium: Difficulties of interpreting data obtained in 27

K

3-Ketohexadecanoic acid-1-^{14}C: Synthesis, TLC, and IR spectrum of 422
Ketone bodies
Conversion of, to fatty acids by epididymal fat pad 56
Effects on norepinephrine-stimulated lipase activity of adipose tissue 621
Metabolism of, in mouse adipose tissue 56
Oxidation of β-hydroxybutyrate and acetoacetate by adipose tissue 56
Utilization of, by adipose tissue 56
2-Ketostearic acid: Decarboxylation of, by enzyme system from brain 270
Kidney
Arteriovenous differences of plasma free fatty acids across 182
Arteriovenous differences of plasma triglycerides across 182
Sterol composition of, after AY 9944 treatment 116

L

Lactation: Cholesterol metabolism in mammary gland during 27
"Lactose effect": On liver and plasma cholesterol of rabbits 372
Lanosterol
Demethylation of; cell-free system from rat skin for 501
inhibitors of 501
Lack of accumulation of, after AY 9944 treatment 116
Lathosterol: Biosynthesis of, by intestinal mucosa 750
Lecithin: *see* **Phosphatidyl choline**
Lecithin: cholesterol acyltransferase
Effect on high density lipoprotein heterogeneity 639
In human and baboon plasma 639
Lens: Sterol composition of, after AY 9944 treatment 116
Lesquerolic acid: Distribution of, in natural glycerides 531
Linoleic acid
Autoxidation of, water-soluble products from 341, 349
Biosynthesis of, by desaturation of oleic acid, in seeds 221
Desaturation of, to give linolenic acid, in seeds 221
Turnover time of, in human adipose tissue 103
Linolenic acid
Absorption of, from bile salt micelles 307
Autoxidation of; water-soluble inhibitors of tumor respiration from 349
water-soluble products from 341, 349
Biosynthesis of, by desaturation of linoleic acid, in seeds 221
Linseed oil
Geranyl geraniol in, isolation of 437
Triglyceride fatty acid distribution of 62
Lipase: In pancreatic juice, new definition of 536
Lipase activity
Determination of 621
In adipose tissue after high fat and high carbohydrate meals 46
Of adipose tissue, norepinephrine-stimulated; activation of, assay for 621
deactivation of, assay for 621
effect of acetoacetate on 621
effect of acetone on 621
effect of ethanol on 621
effect of α-glycerophosphate on 621
effect of β-hydroxybutyrate on 621
effect of ketone bodies on 621
effect of malate on 621
Lipemia, alimentary: Serum lipoproteins during, on electrophoresis 551
Lipids
Absorption of, electron microscopy of 465
Autoxidation of 387
Biosynthesis of, by liver, enhanced after prolonged ethanol or glucose feeding 188
Determination of; by precipitation onto filter-paper disks 146
nonspecific, by charring with H_2SO_4 574
Facilitation of membrane enzyme function by 587
Of adipose tissue, long-term effect of unsaturated fat diet on 103
Of bone, chromatography of 544
Of cartilage, chromatography of 544
Of liver, *see* **Liver:** Lipids of
Of lymph, endogenous, composition of 158
Of mammary carcinomas, composition of 396
Of serum, long-term effect of unsaturated fat diet on 103
Quantification of, after separation into classes by TLC 324
Removal of nonlipids from, on Sephadex columns 558
Separation of, by degree of unsaturation 717
Transfer of, between lipoproteins in absence of plasma enzymes 215
Lipogenesis
Enzymes for, activity of, in meal-eating and nibbling rats 46
From β-hydroxybutyrate, effect of fasting and refeeding on 56
Lipolysis
After adrenalectomy, unimpaired 236

In adipose tissue, *see* **Lipase activity:** Of adipose tissue
Lipoproteins, egg yolk: Exchange of cholesterol esters and glycerides of, with human high density plasma lipoproteins 215
Lipoproteins, plasma
Cholesterol ester composition of; influence of diet on 487
similar in different subfractions 487
Disc electrophoresis of 150
High density; effect of lecithin:cholesterol acyltransferase on 639
exchange of cholesterol esters and glycerides of, with egg yolk lipoproteins 215
Low density, after ethanol or ethionine ingestion in rabbit 248
Of rat, disc electrophoresis of 150
Very low density; in hyperlipemia 368
size of primary and secondary particles during fat absorption 65
see also **Fat particles**
Lipoproteins, serum
Carbohydrate content of 295
Delipidated high density, aggregation of 295
Immunological characteristics of 295
Protein subunits of 295
Thin-layer electrophoresis of 551
Very low density, movement of, in thin-layer electrophoresis 551
Liver
Arteriovenous differences of plasma triglycerides across 182
As source of triglycerides in hyperlipidemia induced by pituitary extract 182
Biosynthesis of lecithin in; alternative pathways for, in rat 38
compared to that in extrahepatic tissues 38
Cholesterol, effect of vitamin E deficiency on, in monkey 210
Clearance of chylomicron cholesterol esters from, and chylomicron size 708
Contribution of cholesterol to milk cholesterol 27
Fatty, *see* **Fatty liver**
"Floating fat" from; composition of, in choline deficiency 10
microsomal origin of 10
NADH–cytochrome *c* reductase activity in 10
Lipid biosynthesis by, effect of prolonged ethanol or glucose feeding on 188
Lipids of; composition of, in periportal fatty liver 473
during early choline deficiency 10
fatty acids of, in ultramicro samples, by GLC 442
Metabolites of retinal, retinol, and retinoic acid in 3
Microsomes of; cholestanone reductase in 763
oxidation of 7-dehydrocholesterol by 603
synthesis of cytidine diphosphate diglyceride by 678
Mitochondria and cell sap of, effect of ethanol or glucose feeding on fatty acid synthesis by 197
Mitochondria of, enzyme hydrolyzing phosphatidyl ethanolamine in 612
Of chick embryo, phospholipid fatty acid composition of 664
Perfusion of (rat), to distinguish between changes in lipid transport and biosynthesis 204
Phospholipids of; after feeding olive oil phospholipids 242
composition in periportal fatty liver 473
Retinyl ester in, hydrolysis and reesterification of 226
Sterol composition of, after AY 9944 treatment 116
Triglyceride content of; after ethionine or ethanol feeding in rabbit 248
effect of prolonged ethanol or glucose feeding on 188
Triglyceride fatty acids, source of, in rabbit 248
Vitamin D_3 metabolite in 739
Long-chain alcohols, branched: Phytol, metabolism in rat 692
Lung: Phospholipids of, separation by diethylaminoethyl cellulose columns plus TLC 570
Lymph
Electrophoresis (thin-layer) of, on starch 551
Fat particles of, flocculation in polyvinylpyrrolidone columns 264
Lipid, endogenous; origin and characteristics of 158
source of fatty acids 158
Transport of retinyl palmitate in, hydrolysis and reesterification during 226
Lysine: Deficiency of, induction of fatty liver by 473
Lysophosphatides: Not implicated in artifactual change of phospholipid composition 387

M

Macrophages: Biosynthesis of phospholipids by, effect of added cholesterol on 132
Malonyl CoA: Effect on incorporation of acetyl CoA into fatty acids by cell fractions 197
Mammary carcinoma: For study of synthesis of C_{10}–C_{14} fatty acids 396
Mammary gland: Lipids of, compared with mammary carcinomas 396
Man
Adipose tissue, long-term effect of unsaturated fat diet on composition of 103
Bile acids, fecal, identification of 511, 524
Brain; cerebrosides and sulfatides, changes with age 479
gangliosides of, appearance of C_{20}-sphingosine in, with age 122
Erythrocytes, lipids from, artifactual changes in 387
Gray matter, ganglioside determination in 141
Intestinal bile acids, identification of 511, 524
Lymph, fat particles of (in chyluria), flocculation by polyvinylpyrrolidone 264
Plasma; cholesterol esters of, preferential incorporation of endogenous linoleate (over dietary acids) into 487
fat particles of, in hyperlipemic subjects 368
fat particles of, primary and secondary, separation and interconversion of 264
fat particles of, primary and secondary, size distribution of, in normal subjects 65
free fatty acids, effect of β-adrenergic agents on 73
lecithin:cholesterol acyltransferase in 639
Serum; lipids and cholesterol, long-term effect of unsaturated fat diet on 103
lipoproteins, disc electrophoresis of 150
lipoproteins, high density, delipidation of 295
vitamin D_3 metabolite in 739
Spleen, cerebrosidase in 379
White matter, ganglioside determination in 141
Mass spectrometry: Of bile acid derivatives 511, 524
Meal-eating: Effect on lipogenetic enzymes 46
Membranes
Action of bile salts on 587
Cholesterol in specific sites in 403
Disruption and reconstitution of 587

Mitochondrial, structure of 587
Reconstitution of, after disruption by bile salts 587
Sterically characteristic spaces for individual sterols in 413
"Structural protein" of 587
Structure of, as repeating micellar units 587
Mesylates: *see* **Methanesulfonates, alkyl**
Metabolic inhibitors: From autoxidation of linolenic acid 349
Metabolic studies: In vitro evolution of $^{14}CO_2$, measurement of 566
Metabolism
Of adipose tissue, in fat tail of sheep 427
Of cholesterol; effect of vitamin E deficiency on, in monkey 210
in germfree rats 77
Of fatty acids, mathematical model for 758
Of lipids, effect of vitamin E deficiency on, in monkey 210
Of phospholipids of fatty liver induced by amino acid deficiency 473
Of phytanic acid 684, 692
Of phytol 684, 692
Of retinal, in bile duct-cannulated rats 3
Of retinoic acid, in bile duct-cannulated rats 3
Of retinol, in bile duct-cannulated rats 3
Of skin components (isolated; mouse) 95
Of steroids, in rabbit, effect of dietary lactose on 372
Metabolite: Of vitamin D_3 with biological activity 739
Metaphosphoric acid: Use of, in modification of enzymatic determination of glycerol 167
Methanesulfonates, alkyl: Reaction with $MgBr_2$ to yield bromides 568
Methanolysis
Of brain sphingolipids, with BF_3–methanol 122
Of triglycerides, partial 786
Methionine
Dietary supplement of, lack of effect of, on vitamin E deficiency 210
Supplementation of diet, to counter choline deficiency 22
Methionine, methyl-labeled: In study of lecithin biosynthesis 38
Methosterols: Lack of accumulation of, after AY 9944 treatment 116
Mevalonate: Biosynthesis of, from acetate, feedback inhibition by dietary cholesterol 698
Mevalonate-2-^{14}C: Incorporation of, into sterols by intestinal mucosa 750
Micelles
Electron microscopy of, in vitro and in vivo 465
Of bile salt, fatty acid, and monoglyceride, fat absorption from 307
Microorganisms, intestinal: Possible effect on steroid absorption in rabbits 372
Microsomes
Cholestanone reductase in 763
From rat skin; lanosterol demethylation by 501
Triton-treated, enhanced sterol biosynthesis by 501
Of intestinal mucosa, esterase for retinyl ester in 226
Oxidation of 7-dehydrocholesterol by 603
Microvilli
Filamentous coating of, seen as trap for micelles 465
Of rat small intestine, electron microscopy of, during fat absorption 465
Milk
Cholesterol, source of (rat) 27
Fatty acids of, typical, synthesized by mammary carcinoma 396
Mitochondria
Biosynthesis of fatty acids by, effect of ethanol and glucose feeding on 197
Enzyme hydrolyzing phosphatidyl ethanolamine in 612
Function of, effect of calcium ions on 612
Membranes of, structure 587
Of aorta (rabbit); effect of nonprotein stimulatory factor from supernatant on 671
electron microscopy of 671
fatty acid biosynthesis of, in vitro 671
Model systems, mathematical: For biosynthesis of polyunsaturated fatty acids 758
Mole ratios: Of cholesterol esters and glycerides in plasma and egg yolk lipoproteins 215
Monkey
Plasma cholesterol in, effect of vitamin E deficiency on 210
Vitamin E deficiency in, effect on cholesterol metabolism 210
Monocytosis: Monoglycerides of anteiso fatty acids as possible agents in producing 277
Monogalactosyl diglycerides: *see* **Galactosyl diglycerides**
Monoglyceride lipase
Distinction of, from tributyrinase 230
From rat adipose tissue; partial purification of 230
pH optimum of 230
Monoglycerides
Absorption of monoolein, from bile salt micelles 307
GLC of, as trimethylsilyl ethers 531
Of anteiso fatty acids; synthesis and characterization of 277
TLC of 277
Monolayers
For examination of enzyme action at surfaces 258
Of phosphatidyl and phosphatidal choline, action of phospholipase A on 258
Monoolein: Absorption of, from bile salt micelles 307
Mosquito: Adipose tissue, fatty acid composition change with temperature 112
Mouse
Adipose tissue, utilization of ketone bodies, factors influencing 56
Effect of dietary phytol and phytanic acid on 684
Liver, microsomal oxidation of 7-dehydrocholesterol in 603
Skin components (isolated), metabolism of 95
Muscle: Cholesterol in, effect of vitamin E deficiency on, in monkey 210
Mycobacterium tuberculosis: Glycolipids of, fractionation of 627

N

NADH: As hydrogen donor (better than NADPH) in aortic mitochondrial fatty acid biosynthesis 671
NADH–cytochrome *c* reductase: In "floating fat" fraction of liver (indicates microsomal origin) 10
NAD, NADP: Levels of, in epididymal fat pad after nicotinamide 56
NADPH: Requirement for cholestanone reductase (distinction from C_{19} 3-hydroxysteroid dehydrogenases) 763

"Neatan": Fixing of thin-layer chromatograms with, before aqueous staining for choline 169
Neoplasms: Fatty development of 396
Nerve: Of roach, subcellular fractionation of 413
Neurological effects: Not induced in animals by dietary phytol or phytanic acid 684
Nibbling: Effect on lipogenetic enzymes 46
Nicotinamide
Effect on NAD and NADP levels in adipose tissue 56
Effect on oxidation of ketone bodies by adipose tissue 56
Niemann-Pick's disease: Abnormal gangliosides in, composition of 337
Nonlipids: Removal of, from lipids extracted from cartilage 558
Norepinephrine: Response of fat cells isolated in albumin-free buffer to 561
Nuclear magnetic resonance: For analysis of glyceride structure 277
Nucleotide coenzymes: *see* **NAD, NADP**

O

Obstructive jaundice: Effect on bile acids of rat plasma, intestine, and urine 83
cis, cis-**9,12-Octadecadienyl bromide:** Synthesis of 568
cis-**9-Octadecenyl bromide:** Synthesis of 568
trans-**9-Octadecenyl bromide:** Synthesis of 568
Octadecyl bromide: Synthesis of 568
Oleic acid: Desaturation of, to give linoleic acid in seeds 221
Oleic anhydride: Preparation of 174
Olive oil
Effect on tissue phospholipid levels of 242
Triglyceride fatty acid distribution of 62
Osmium fixation: For electron microscopy, failure with chylomicrons of butter fat 65
Oxidation: Of 7-dehydrocholesterol, enzymatic and non-enzymatic 603
β-Oxidation: Of palmitic acid, synthesis of postulated intermediates 422
Oxidative phosphorylation: In rabbit aorta mitochondria 671
Oxygen uptake: By peritoneal macrophages, lack of effect of cholesterol on 132

P

Palmitate: Oxidation of, by diaphragm and liver after meal-eating and nibbling 46
Palmitic acid: β-Oxidation of, synthesis of postulated intermediates 422
Pancreatic juice: Enzymes in, three carboxylic ester hydrolases 536
Pancreatic lipase: Products of action on triglycerides, GLC of 531
Pancreatic tissue: Enzymes in, that hydrolyze carboxylic esters 536
Paper chromatography: *see* **Chromatography, paper**
Pathways: Of lipogenesis 46
Peanut oil
Geranyl geraniol in, isolation of 437
Triglyceride fatty acid distribution of 62
Perfusion
Of fat tail of fat tail sheep, for study of adipose tissue metabolism 427
Of liver, *see* **Liver:** Perfusion of
Peroxidation: Of microsomal lipids, connection with 7-dehydrocholesterol oxidation 603
Phagocytosis: Cholesterol-induced, increased phospholipid biosynthesis not due to 132
Phenoxybenzamine: Use of, as α-adrenergic blocking agent 73
Phosphate-^{32}P: Incorporation of, into phospholipids by macrophages in vitro 132
Phosphatidal choline: Action of phospholipase A (snake venoms) on, in monolayers 258
Phosphatidic acid: Analogues of, synthetic 779
Phosphatidyl choline
Action of phospholipase A (snake venoms) on, in monolayers 258
Analogues of, synthetic 779
Biosynthesis of; alternative pathways in rat for 38
in liver compared to extrahepatic tissues 38
sex differences 38
Effect of feeding of, on tissue phospholipids 242
Enzymic hydrolysis of, in mitochondria 612
Preparation of, from egg yolk 242
see also **Choline glycerophosphatides**
Phosphatidyl ethanolamine
Analogues of, synthetic 779
Autoxidation of 387
Biosynthesis (in liver), inhibition of, by feeding phosphatidyl ethanolamine 242
Biosynthesis of, from ethanolamine, sex difference in rats 38
Di(octadecenyl) ether analogue of 453
Effect of feeding, on phospholipid levels and synthesis 242
Enzymic hydrolysis of, in mitochondria 612
Preparation of, from egg yolk 242
see also **Ethanolamine glycerophosphatides**
Phosphatidyl inositol
Fatty acid composition of (from yeast) 445
Mannosides of, from *Mycobacterium tuberculosis* 627
Of *Mycobacterium tuberculosis*, purification of 627
Preparation of, from yeast 445
Phosphatidyl serine
Autoxidation of 387
see also **Serine glycerophosphatides**
Phosphoinositides
Of *Mycobacterium tuberculosis* 627
Purification of 627
Phospholipase A
Action of, on monolayers of phospholipids 258
Specificities for phosphatidyl and phosphatidal choline of different venoms 258
Phospholipids
Acidic and nonacidic, separation on diethylaminoethyl cellulose microcolumns 570
Autoxidation of 387
Biosynthesis of, by macrophages; composition of synthesized mixture 132
influence of cholesterol in suspension on 132
Choline-containing, detection of (sensitive) after TLC 169
Chromatography of, two-dimensional, on silica gel-loaded paper 544
Class of, which complexes with phthalanilide, in dog brain 492
Doubly labeled, preparation of, in germinating soybeans 569
Fatty acids of, oxidation to CO_2 by cells 657
Hydrolysis of, by phospholipase A-like enzyme in mitochondria 612

In adipose tissue, level of 396
Interaction of, with cations considered vis-à-vis membrane permeability 587
Of fatty liver (portal), composition and metabolism of 473
Of high density lipoprotein, composition in different Sephadex fractions 639
Of intestinal wall; after ingestion of pure phosphatidyl ethanolamine or lecithin 242
effect of feeding olive oil on level of 242
Of liver; after ingestion of pure phosphatidyl ethanolamine or lecithin 242
effect of feeding olive oil on level of 242
Of lung, separation by diethylaminoethyl cellulose columns plus TLC 570
Of plasma; after ingestion of pure phosphatidyl ethanolamine or lecithin 242
effect of feeding olive oil on level of 242
Of soybean, ^{32}P- and ^{14}C-labeled 569
Quantification of, by separation on diethylaminoethyl cellulose columns then TLC 570
Role of, in membrane generation and structure 587
With high nitrogen content, from dog brain 492
Phosphomolybdic blue: Detection of choline-containing phospholipids after TLC 169
Phosphonates: Analogues of natural glycerophosphatides 779
Phosphorus: Determination of, modification for silica gel-loaded paper 544
Phosphoryl choline: As intermediate in lecithin biosynthesis in rat tissues 38
Phthalanilide–lipid complexes: Obtained from dog brain 492
Phytanic acid
Dietary, accumulation in tissues 684
Incorporation of, into lipid classes in vivo 692
Metabolism of, in rat 692
Methyl ester, synthesis of 452
Oxidation of, to CO_2 692
Synthesis of, improved, from phytol 452
Toxicity of 684
Phytanic acid-U-^{14}C
Synthesis and feeding of 692
Synthesis from phytol-U-^{14}C from *Chlorella pyrenoidosa* 452
Phytenic acid
Conversion of, to phytanic acid in rat 692
In tissues after dietary phytol 684
Phytenic acid-U-^{14}C: Synthesis of 692
Phytol
Absorption of, in rat 692
Dietary, leading to accumulation of phytanic acid in tissues 684
Hydrogenation of, to dihydrophytol 452
Isolation of, from linseed oil 437
Metabolism of, in rat 692
Oxidation of, to CO_2 692
Toxicity of 684
Phytol-U-^{14}C: Synthesis and feeding of 692
Pig
Brain; cerebrosidase in 379
enzymes for decarboxylation of keto fatty acids in 270
Pinocytosis: As fat absorptive mechanism in rat 465
Pituitary extract: Induction of hyperlipidemia by, source of triglycerides in 182
Plant sulfolipid: Purification of, by column chromatography and TLC 564
Plasma
Bile acids of, after bile duct ligation 83
Cholesterol, effect of vitamin E deficiency on, in monkey 210
Contribution of, to lymph lipids 158
Fat particles of; primary, conversion to secondary by dilution in vitro 264
primary and secondary, separation of 264
primary and secondary, size distributions of 65
third type in hyperlipemic subjects 368
Free fatty acids; after ethanol or ethionine feeding in rabbit 248
effect of β-adrenergic agents on 73
Glycerol, determination of, by enzymatic procedure 167
Lecithin:cholesterol acyltransferase in, effect on high density lipoproteins 639
Lipids; composition of, during amino acid deficiency 473
during early choline deficiency 10
Lipoproteins, *see* **Lipoproteins, plasma**
Phospholipids, after feeding olive oil or phospholipids 242
Triglycerides, determination of, by enzymatic procedure 167
Plasmalogen aldehydes
Composition of, by hydrazone formation, reduction to alcohols, and GLC 170
Determination of, as class 170
Plasmalogens
Aldehydes from, *see* **Plasmalogen aldehydes**
In ethanolamine glycerophosphatides of chick embryo brain before myelination 664
Poikilotherms: Adipose tissue, fatty acid composition of, at different environmental temperatures 112
Policy: Statement of (editorial) 1
Polyunsaturated fatty acids: Biosynthesis of, from other fatty acids, mathematical model for 758
Polyvinylpyrrolidone columns
Constant density, behavior of "hyperlipemia" particles on 368
Uniform composition vs. gradient for separation of fat particles 264
Precipitation: Of lipids (radioactive) by trichloroacetic acid 146
Primates: Vitamin E deficiency in monkey, effect on cholesterol metabolism 210
Propranalol: Use of, as β-adrenergic blocking agent 73
Protein: Of high density lipoprotein of human serum, properties and analysis of 295
Protozoa: Of rumen (holotrich), ethanolamine plasmalogens of 170
Pseudolipotropic effect: Of cold 17
Purification: Of lipids, from nonlipids 558
Pyridine nucleotides: Reduced, dependence of 7-dehydrocholesterol oxidation on 603

R

Rabbit
Aorta, mitochondria of, effect of cholesterol feeding on 671
Effect of dietary phytol and phytanic acid on 684
Fatty liver, after ethionine but not ethanol feeding 248
Hyperlipidemia induced by pituitary extract in, liver as source of triglycerides for 182

Liver, as source of triglycerides in hyperlipidemia induced by pituitary extract 182
Peritoneal macrophages, biosynthesis of phospholipids by 132
Plasma, hypertriglyceridemia after ethanol feeding 248
Steroid metabolism in, with sucrose and lactose diets 372
Radioactivity: In lipids after biosynthesis, determination of, on filter-paper disks 146
Radiochemicals: Purity of, editorial 181
Randomized Block design: With discussion 132
Rapeseed oil
Triglyceride fatty acid distribution of 62
Triglycerides of, GLC of 576
Rat
Absorption of fat in, after adrenalectomy 236
Adipose tissue; fatty acid composition of, effect of prolonged ethanol or glucose feeding on 188
lipase activity of 621
lipid composition of 396
lipogenetic enzyme activity in 46
metabolism of, during meal-eating and nibbling 46
mitochondria and cell sap of, effect of ethanol or glucose feeding on fatty acid synthesis by 197
monoglyceride lipase from, partial purification of 230
RNA biosynthesis in, effect of fasting on 285
Bile duct ligation in, effect on bile acids of plasma, intestine, and urine 83
Biosynthesis of lecithin in, alternative pathways and sex differences 38
Brain; cerebrosidase in 379
ganglioside determination in 141
gangliosides of, appearance of C_{20}-sphingosine in, with age 122
neonatal, course of cholesterol biosynthesis in 634
sphingolipids, fatty acid, and C_{20}-sphingosine content of, with age 122
Cholesterol biosynthesis in, inhibition of, by AY 9944 116
7-Dehydrocholesterol accumulation in, after AY 9944 treatment 116
Effect of dietary phytol and phytanic acid on 684
Fatty liver, induction of, by amino acid deficiency 473
Germfree, slower oxidative catabolism of cholesterol in 77
Intestinal mucosa; subcellular fractions of, hydrolysis of retinyl ester in 226
synthesis of sterols by 750
Intestinal wall, phospholipids of 242
Intestine, electron microscopy of, during fat absorption 465
Liver; cholesterol biosynthesis and feedback inhibition by dietary cholesterol in 698
effect on lipid composition and biosynthesis in, of prolonged ethanol or glucose feeding 188
enzyme hydrolyzing phosphatidyl ethanolamine in mitochondria of 612
fatty changes in, early in choline deficiency 10
incorporation of fatty acids into, effect of ethanol ingestion on 772
lipid biosynthesis by perfused 204
lipids of, effect of choline deficiency and environmental temperature on 17
lipids of, methionine dietary supplement to counter choline deficiency in 22
microsomes of, cholestanone reductase in 763
mitochondria of, effect of ethanol or glucose feeding on fatty acid synthesis by 197
perfusion of, after X-irradiation or partial hepatectomy 204
phospholipids of 242
regenerating, lipid biosynthesis by 204
vitamin D_3 metabolite in 739
Lymph; hydrolysis and reesterification of retinyl palmitate in 226
origin of lipid, especially fatty acids, in 158
Mammary carcinoma, lipid composition and enzyme systems of 396
Mammary gland; biosynthesis of cholesterol in vitro by 27
lipid composition of 396
uptake of chylomicron cholesterol by 27
Metabolism of retinol derivatives in 3
Pancreatic juice, evidence for three carboxylic ester hydrolases in 536
Phytol and derivatives in, metabolism of 692
Plasma; lipid changes in, early in choline deficiency 10
lipoproteins of, disc electrophoresis of 150
phospholipids of 242
Retinyl palmitate metabolism in 226
Skin, cell-free system for sterol biosynthesis from 501
Sterol composition of, in tissues after AY 9944 treatment 116
Tissues, cerebrosidase in 379
Vitamin D_3 metabolite in, with full biological activity 739
Red cells: *see* **Erythrocytes**
Δ^7-Reductase: Effect of AY 9944 on activity of 116
Refeeding: Restoration of decreased RNA biosynthesis in adipose tissue induced by fasting 285
Refsum's disease: Not induced in animals by dietary phytol or phytanic acid 684
Retinal: Metabolites of, formation and enterohepatic circulation of, in rat 3
Retinal-^{14}C: Preparation of 3
Retinoic acid: Metabolites of, formation and enterohepatic circulation of, in rat 3
Retinol
Metabolites of, formation and enterohepatic circulation of, in rat 3
see also **Retinyl ester**
Retinyl ester
Absorption and transport of, hydrolysis and reesterification during 226
Doubly labeled (palmitate) 226
Hydrolysis and reesterification of, during absorption and transport 226
Palmitate, hydrolysis and reesterification of, in intestinal mucosa 226
Rhesus monkey: Vitamin E deficiency in, effect on cholesterol metabolism 210
Rhodamine 6G: Staining by, modification of 544
Ricinoleic acid: Distribution of, in natural partial glycerides 531
Rickets: Cure of, by metabolite of vitamin D_3 739
RNA
Biosynthesis of, in adipose tissue and isolated fat cell 285
Dependence of stearate–oleate conversion on, in adipose tissue 285
Ribosomal, in adipose tissue, base composition of 285
Roach
Muscle, subcellular fractionation of and sterol distribution in 413
Nerve, subcellular fraction of and sterol distribution in 413

Salivary gland, subcellular fractionation of and sterol distribution in 413
Sterol and steroid distribution in 403
Sterols in tissues of, displacement by other sterols 403

S

Safflower: Seed triglycerides of, desaturation of oleic acid in 221
Safflower oil: Dietary, increased cholesteryl linoleate from 487
Sarcoma: Lipid composition of 396
Seed oils
Analysis of, distribution of unusual fatty acids among glycerol positions 531
From *Cephalaria joppica*, *Crepis aurea*, *Cuphea carthagenensis*, and *Limnanthes douglasii* 531
Seeds: Desaturation of fatty acids of triglycerides by 221
Separation: Of lipids, by silver ion chromatography (review) 717
Sephadex: Use of, in separating lipids and nonlipids 558
Serine glycerophosphatides: Fatty acid composition of, in chick embryo brain and liver 664
Serum
Cholesterol, long-term effect of unsaturated fat diet on 103
Lipids, long-term effect of unsaturated fat diet on 103
Lipoproteins, *see* **Lipoproteins, serum**
Proteins, disc electrophoresis of, at low gel concentrations 150
Sterol composition of, after AY 9944 treatment 116
Vitamin D_3 metabolite in (rat and man) 739
Sex differences: In biosynthesis of lecithin in rat 38
Sheep: Fat tail, metabolism of adipose tissue in 427
Silica gel-loaded paper: For lipid chromatography 544
Silver–olefin complexes
Determination of degree of binding 717
In chromatography of lipids 717
In nonchromatographic separations of lipids 717
Silylation: Of partial glycerides 531
Skin
Isolated components of, biosynthesis of fatty acids and sterols by 95
Sterol biosynthesis by, cell-free system for 501
Sterol composition of, after AY 9944 treatment 116
Snake venoms: Phospholipase A action, comparison of *Crotalus atrox* and *Naja naja*, on phosphatidyl and phosphatidal choline 258
Sodium dodecyl sulfate: For depolymerizing delipidated high density lipoprotein 295
Soybean
Germinating, high phospholipid turnover in 569
Phospholipids of, double labeling of 569
Seed triglycerides of, desaturation of oleic acid in 221
Soybean oil: Triglyceride fatty acid distribution of 62
Soybean protein: In induction of vitamin E deficiency 210
Spectrophotometry: Of 2,4-dinitrophenylhydrazones of plasmalogen aldehydes 170
Sphingoglycolipids: Release of carbohydrates from 789
Sphingomyelin
Fatty acid composition of, with age 122
Sphingosine: C_{20}-, increase of, in brain gangliosides with age 122
Spinal cord transection: Effects on fat mobilization 357
Spleen: Cerebrosidase in 379
Squalene
Biosynthesis of; by mouse skin components 95
from farnesyl pyrophosphate, inhibition of, by dietary cholesterol 698
Starch: Thin layers of, for electrophoresis 551
Starch gel immunoelectrophoresis: Of delipidated high density lipoprotein 295
Stearic acid: Determination of, as index of ganglioside content of brain 141
Stearoyl-^{14}C psychosine: As substrate for cerebrosidase 379
Steroids
Of roach, distribution and dynamic state of 403
Polar, as possible excretory metabolites, in roach 403
see also **Bile acids**
Sterol esters: Tissue distribution of, in roach 403
Sterols
Biosynthesis of; by intestinal mucosal scrapings 750
by rat skin homogenate 501
Composition of, in tissues after AY 9944 treatment 116
Displacement (of one by another) in roach tissues 403
In membranes; evidence for specific spatial arrangement of 413
specificity of requirement for 403
Of roach; distribution and dynamic state of 403
subcellular distribution of 413
Separation of, by degree of unsaturation 717
"Sparing" (cholestanol), in diet of roach 403
Storage of, in fat body of roach, as esters 403
see also **Cholesterol**
Subcellular fractions
Of intestinal mucosa, hydrolysis of retinyl ester in 226
Of roach tissues 413
Substrate structure: Influence on enzyme action, in hydrophobic portion of phospholipids 258
Sucrose density gradients: Fractionation of adipose tissue RNA by 285
Sudan black B: For staining plasma lipoproteins before disc electrophoresis 150
Sulfatides
Of brain gray and white matter; content of, with age 479
fatty acid composition of 479
6-Sulfo-α-D-quinovopyranosyl-(1-1′) diglyceride: *see* **Plant sulfolipid**
Sulfuric acid: For charring and determining lipids, in reagent tube 574
Surface potential: Of phospholipid monolayers, effect of phospholipase A on 258
Sympathetic nervous system: Blocking of, to eliminate possibility of control of fat mobilization by 357
Sympathomimetic compounds: Effects on plasma free fatty acid correlated with β-adrenergic effects 73
Synthesis
Of fatty acids-1-^{14}C, suspected intermediates in β-oxidation of palmitic acid 422
Of *trans*-2-hexadecenoic acid-1-^{14}C 422
Of DL-3-hydroxyhexadecanoic acid-1-^{14}C 422
Of 3-ketohexadecanoic acid-1-^{14}C 422
Of monoglycerides of anteiso fatty acids 277
Of phytanic acid and phytanic acid-U-^{14}C 452
Synthetase: Fatty acid (cyclopropane), *see* **Cyclopropane fatty acid synthetase**

T

Tay-Sachs disease
Abnormal gangliosides in, composition of 337

Brain gangliosides in, resemblance to those of fetus 122
Temperature
Effect on choline deficiency-induced fatty liver 17, 22
Lack of dependence of composition of biosynthesized fatty acids on 112
Terpenes: Separation of, by degree of unsaturation 717
Thin-layer chromatography: *see* **Chromatography, thin-layer**
Thin-layer electrophoresis: Of serum lipoproteins, on starch 551
Thiobarbituric acid: Reactive compounds in water-soluble products of fatty acid autoxidation 341, 349
Threonine: Deficiency of, induction of fatty liver by 473
Titration
Automatic; of acids and alkalis 745
of free fatty acids 745
Photocolorimetric, of free fatty acids 745
Total lipid: Rapid determination of, by charring 574
Transmethylation: Of phosphatidyl ethanolamine to lecithin in male and female rats 38
Transport: Of retinyl palmitate, hydrolysis and reesterification during 226
Trichloroacetic acid: Precipitation of lipids onto filter paper by 146
Triglycerides
Alcoholysis of, at 0°C 786
Biosynthesis of (by mosquito), effect of temperature on fatty acid composition of 112
Biosynthesis of, in intestinal wall during fat absorption 307
Fatty acid distribution of, in seven vegetable oils 62
GLC of, improved conditions for 576
Of plasma, arteriovenous differences in, across liver, adipose tissue, and kidney in rabbit 182
Of seeds, desaturation of fatty acids of during biosynthesis 221
Trimethylsilyl ethers: Of mono- and diglycerides, GLC of 531
Tuberculosis: Serum complement fixation by *Mycobacterium tuberculosis* phosphoinositides 627
Tuberculostearic acid: In phosphoinositides of *Mycobacterium tuberculosis* 627
Tumor respiration: Inhibition of, by products of linolenic acid autoxidation 349
Turnover
Of cholesterol, cholestanol, and their esters in roach 403
Of cholesterol, in rabbits fed sucrose and lactose 372
Of cholesterol precursors in developing rat brain 634
Of deoxycholic acid, in rabbits fed sucrose and lactose 372

U

Ultracentrifugation
Of delipidated high density lipoprotein 295
Of lipoproteins, comparison with disc electrophoresis 150
Ultracentrifugation, density-gradient: Determination of particle-size distribution by 65
Ultraviolet irradiation: As catalyst in autoxidation of linoleic and linolenic acids 341
"Unit membrane": Sterol composition of membrane and 413
Urine: Bile acids of, after bile duct ligation 83

V

Vegetable oils: Triglyceride fatty acid distribution of 62
Vernolic acid: Distribution of, in natural partial glycerides 531
Vesicles: Thick-coated, as possible fat carriers during absorption 465
Vitamin A
Absorption of, *see* **Retinyl ester:** Absorption
see also **Retinal, Retinoic acid,** and **Retinol**
Vitamin D_3: Metabolite of, full biological activity, in bone, liver, and serum after low doses of vitamin D 739
Vitamin E deficiency: Effect on cholesterol metabolism in Rhesus monkey 210

W

White matter: Ganglioside determination in 141

X

X-irradiation: Effect on lipid biosynthesis by isolated liver 204

Y

Yeast
Autolysis of, by toluene, prior to extraction of phospholipids 445
Phosphatidyl inositol of, extraction method for 445

NEW METHODS INDEX

VOLUME 7 NUMBERS 1-6

Compiled by H. A. I. Newman

The numbers in this Index refer to entry numbers in the New Methods listings. They are found on the following pages of Volume 7:

Nos. 1- 91, pp. 176–179
Nos. 92–208, pp. 331–335
Nos. 209–360, pp. 458–463
Nos. 361–450, pp. 582–585
Nos. 451–543, pp. 711–714
Nos. 544–624, pp. 793–796

Acetoacetic acid: Urinary and blood, qualitative color test for 502

Acids, organic: Separation by TLC of 2,4-dinitrophenylhydrazone derivatives 411

A-esterase: Histochemical demonstration by heavy metal method 198

Alcohols, fatty: Unsaturated, infrared spectrography of 45

Antioxidants: For lipid TLC 380

Behenic acid: TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20

Bile acids
- Cholanoic acids, substituted, GLC of 584
- Conjugates; fractionation, recent advances 159
  - human bile and duodenal cholic acid, TLC of 495
- Free; fractionation, recent advances 159
  - human bile and duodenal cholic acid, TLC of 495
- GLC after isolation of fecal 158
- GLC of 160
- Isolation of, from hog bile 40
- TLC and direct densitometry of 393
- TLC of, serum 392
- TLC and spectrofluorometry of 285

Bile alcohols: GLC of 160

Bile lipids: Fractionation of 115

Butter oil: GLC of, beyond carbon numbers 371

Campesterol: Separated from β-sitosterol and stigmasterol by GLC 398

Carbonyls: In oxidized fat, comparison of isolation methods for 118

Cardiac glycosides: TLC of 571

Cardiolipins: Determination of glycerol from, by GLC 181

Cardiotonic glycosides: Containing digoxigenin separated by paper chromatography 382

β-Carotene
- In roller dried food 344
- Stereoisomers in fermentation mixtures 615

Carotenoids
- Epoxy by rapid spectrophotometry 197
- Identification by partition ratios, mercuric chloride complexes, and chromatographic behavior 195
- TLC of, in presence of chlorophyll 193

Cephalin: Separated from other phospholipids and neutral lipids on methylated Sephadex 120

Cerebrosides
- Preparative method for isolation of 188
- Separated from lecithin by gradient elution on TLC 465
- Separated from other lipids by methylated Sephadex 120
- TLC of 15

Cholanic acids: Separated from one another on methylated Sephadex 120

Cholestanol
- Analyzed from sterol extracts 286
- Separated from cholesterol and Δ^7-cholestenol by TLC 44, 164
- TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20

Cholestan-3-one: TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20

7-Cholestenol: Separated from cholesterol and cholestanol by TLC 44, 164

Δ_4-Cholesten-3-one: TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20

Cholesterol
- Blood, by fluorometry 287
- Conversion from Bloor to Zak scales 43
- Determination in serum separated by paper electrophoresis 284
- Extraction from human erythrocytes 123
- New reagent for direct determination of 394
- Peroxides by TLC 306
- Purity when used as primary standard 288
- Separated from cholestanol and Δ^7-cholestenol by TLC 44, 164
- Separated from lecithin by gradient elution on TLC 465
- Separated from other lipids on methylated Sephadex 120
- Separated from other neutral lipids by TLC 245
- Serum; comparison of different assays 586
  - determined by GLC 363
- Skin and hair, assay of 590
- Study of Fe–H_2SO_4 method 399
- TLC in autoxidation mixtures 587
- TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20
- Total, plasma, direct determination in small animals 397
- Total, serum, a comparison of Ness and $FeCl_3$ methods 588
- Transformation in vitro during chromatography 496

Cholesterol, esterified: In plasma extracts 289

Cholesterol esters
- Fatty acid chromatographic assay 42
- Infrared spectroscopy 11
- Peroxides by TLC 306
- Separated by column chromatography 589
- Separated from other lipids by TLC 9
- Separated from other lipids on methylated Sephadex 120
- Separated from other neutral lipids by TLC 245

Separated from triglyceride, palmitic acid, free cholesterol, and hydrogenated lecithin by TLC, quantification by densitometry 17
Stearate, degradation during transesterification 163
TLC on Aluminum Oxide G 244
Cholesterol, free
Human serum distribution in electrophoretograms 591
In plasma extracts 289
TLC on Aluminum Oxide G 244
Cholesterol, free and esterified: Blood separated by TLC 585
Cholesteryl oleate
Oleic acid effects of $CaSO_4$ and $AgNO_3$ on R_f on TLC 15
TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20
Cholesteryl stearate
Separated from methyl oleate and squalene by gradient elution on TLC 465
TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20
Chromatography
Automatic programmed solution addition to chromatographic columns 355
Color developer apparatus for applying even distribution 538
Detection of fluorescent compounds in 440
Chromatography, gas–liquid
Application of evaporated sample by an automatic device 227
Coupled with mass spectroscopy 92
Effect of column repacking on mass transfer 225
Flame ionization detectors 546
High temperature, use of Kovar seals with glass columns 373
Increased sensitivity of a radioactive ionization detector 210
Irreproducibility in quantitative calibration of a flame ionization detector 452
Mass transfer in the liquid phase 226
Measurement of peak areas 362
New developments 213
Polar impregnation of glass capillaries 365
Quantitative studies with nonlinear response detectors 235
Relationship between sample size and peak areas 372
Temperature programming 8
With glass bead columns 217
With liquid crystals as stationary phases 214
Chromatography, liquid–liquid: New thermoelectric detector 540
Chromatography, paper
New method for making starting line 539
Relation of surface area of spot 622
Chromatography, thin-layer
Applicator (modified) for uniform preparation of plates 541
Automatic zonal scraper for radioassay 91
Blue-print records 90, 208
Circular, apparatus for 442
Countercurrent separation of plant extracts 205
Densitometry of charred spots 17
Determination of substances resolved from 358
Device for spotting preparative plates 207
Direct fluorometric scanning 446
Effects of acid treatment on silica gel contaminants 15
Effects of $AgNO_3$ on oleate R_f 15
Effects of calcium sulfate on oleic acid R_f 15
Gradient spreader 448
Homemade marker for 444
Iodine-quenched fluorescence for detection of organic compounds 206
New method for making starting line 539
Photocopying by ultraviolet light 356
Precoated sheets 445
Preparative, source of error in 443
Quantitative 537
Quantitative scanning for fluorescence or light absorption 620
Relation of surface area of spot 622
Sample application, for preparative 439
Sample application under nitrogen 89, 201
Sample applicator 623, 624
Sequential extraction of plant material 204
Silver ion 450
Spectrophotometric scanner 621
Spreader 449
Thin-line applicator 359
Unsaturated fatty acid deterioration on 501
Use of a solvent series based on dielectric constants 203
UV fluorescence color recording 441
UV spectrophotometry for quantification 447
With Silica Gel G slurries 202
With silver nitrate 200
Digitoxin: Urinary in man 480
Diglycerides
1,2-Diglycerides, separated from 1,3-diglycerides on TLC 462
1,2- and 1,3-Diglycerides, separated from other neutral lipids by TLC 245
Infrared spectroscopy 11
Peroxides by TLC 306
Separated from cholesterol on TLC 462
TLC on Aluminum Oxide G 244
Digoxigenin glycosides: Separated by paper chromatography 382
Digoxin: Urinary in man 480
Diolein: Separated from tri- and monoolein by gradient elution on TLC 465
Eicosane: TLC limits of detection with Rhodamine, Rhodamine–I_2 on H_2SO_4 20
Ester saponification: Influence of dimethyl sulfoxide 310
Esterase: Use of thiolesters for histochemical assay 619
Fat
Animal, in vegetable oils, by GLC 364
Particulate, in serum, for clinical studies 414
Serum turbidity test, limitations of 556
Fatty acid amides: 294
Fatty acid esters
GLC–TLC, identification on 506
In serum 401
Ion exchange method for detection 409
Sulfurized, TLC 593
Fatty acid ethyl esters: Short-chain, GLC of 375
Fatty acid methyl esters
C_{14}–C_{18} GLC precision and accuracy 228
Collection from GLC of radioactive 545
GLC of; of *n*-octenoic, having the double bond conjugated with the carboxyl group 94
on two columns 457
peak areas by peak heights and retention times 451

Highly unsaturated, from marine lipids, rapidly concentrated for application to TLC 302
Hydrocarbons obtained by hydrogenation of parent fatty acids, GLC of 48
Identification of, by GLC 54
Identification and quantification by critical solution temperature 18
Linolenic mono-*trans* di-*cis* isomers demonstrated on TLC–$AgNO_3$ 503
Of ucuhuba kernel fat, by GLC 315
Oleic and petroselinic, quantitative analysis by oxidation to pelargonic and lauric acids, methylation, and GLC 406
On acid-treated, silver nitrate-containing Florisil 314
Peroxides by TLC 306
Polarographic determination 308
Positional isomers of long-chain unsaturated, by TLC–$AgNO_3$ 503
Preparation for GLC 504
Preparative GLC of 102
Rapid GLC of 99
Separated by silver nitrate-treated Florisil columns 291
Separated from other neutral lipids by TLC 245
Short-chain; GLC from aqueous mixtures 555
GLC of 375
Sublimation heats 296
TLC separation by chain length and unsaturation 408
Tritiated methanol for quantitation 405

Fatty acids
Analysis, by TLC combined with GLC 510
Analysis of, by GLC, of ultramicro liver lipid samples after methanolysis by H_2SO_4–methanol 544
Arachidonic and related acids 64
Branched-chain, infrared spectroscopy of 11
Carbon numbers by TLC 410
Carnitines; from mitochondria 51
preparation of 508
Characterization by microhydrogenation 66
Cis and *trans* monoenes on TLC and GLC 550
Composition of milk fats 299
Cyclopropane, pyrolysis for structure determination 402
Cyclopropene, pyrolysis for structure determination 402
Cyclopropenoid; by direct infrared 166
spectrophotometry by the Haiphen-test reaction 46
Detergents and amine oxides 68
Epithio, and derivatives, TLC of 509
Epoxy and derivatives, TLC of 509
Epoxy in oils and fats 301
Ethanolamides, GLC 171
Fecal 307
2-Fluoro, mixed short-chain, by GLC 216
From sphingomyelin and cerebrosides analyzed by column, thin-layer, and GLC 2
From white mustard seed oil, urea fractionation and GLC 596
GLC with polyethylene glycol 600, 105
Gravimetric analysis coupled with thin-layer chromatography 50
trans-5-Hexadecenoic in thalictrum venulosum oil, determination of 499
Hydrogenation to fatty alcohols with $LiAlH_4$ 544
Hydroxy; acetic anhydride–toluene for back-titration technique 168
acids by TLC 317
isolation, structure determination, and quantification of 175
microdetermination of, by esterification with succinic and *o*-sulfobenzoic anhydride 407
Identification and quantification by critical solution temperature 18
Intermolecular effects in, by magnetic susceptibility 295
Linoleic, alkaline isomerization of 370
Location of double bonds in unsaturated 67
Long-chain; infrared spectroscopy of 11
TLC of 311
Low molecular weight, GLC of aqueous solutions of 223
Low-temperature methylation 60
Methanolysis of, by HCl–methanol 58, 169
Methylation of nonvolatile plant acids 52
Micromethod for long-chain 290
Mixtures, TLC for complete structural analysis 297
Modified color stability test 298
trans-5-*cis*-9-Octadecadienoic in thalictrum venulosum oil, determination of 499
Of cerebrospinal fluid, by GLC 209
Oleic acid effects of $CaSO_4$ and $AgNO_3$ on R_f in TLC of 15
Oleic and petroselinic, in glyceride oils 406
Oxidized, TLC of 305
Peroxides of; by electron paramagnetic resonance 309
by the Stamm method 300
interference in carbonyl analysis of 304
rapid preparation of, from autoxidized fatty acid methyl esters 170
Ricinoleic, determined by differentiating titrations 47
Saturated and unsaturated length of polymethylene chains 57
Separated from other neutral lipids by TLC 245
Separated from water-soluble acids by ion-exchange, identification by use of dc current 55
Separation of isomeric monoenes by gas–liquid (capillary column) chromatography 107
Short-chain; by GLC, with unstable silicone oil–fatty acid stationary phases 548
direct GLC of 597
GLC of dilute ethereal solutions with thermal conductivity detector 549
infrared spectroscopy of 11
Soaps, anhydrous, infrared spectroscopy of 11
Structure by ozonolysis 598
Sulfurized, TLC of 593
TLC of 179
Unsaturated; by GLC 5, 6, 367
deterioration on TLC 501
from sea algae 69
infrared spectroscopy of 11
isolated double bonds in, by ultraviolet absorption 167
positional isomers of 63
proton magnetic resonance spectroscopy 505
Urea; clathrates by TLC and paper chromatography 49
fractionation of 65

Fatty alcohols
Critical solution temperatures 177
And derivatives, GLC of 236
Determined in the presence of fatty alcohol sulfates 59
GLC of 236, 239
GLC of acetylated 544
GLC with polyethylene glycol 105
Infrared spectroscopy of 11

Fatty aldehydes
Colorimetric determination with 12-molybdosilicic acid 293
Conversion of 2,4-dinitrophenylhydrazones to dimethyl acetals 61, 172
Low molecular weight GLC of aqueous solutions of 223
Rapid GLC of 108
Fatty amines
GLC of 512, 552
Primary, secondary, tertiary by GLC 53
Separated from free fatty acids by GLC 312
Fatty esters
Critical solution temperatures 177
Rapid GLC of 108
Fatty ethers: Critical solution temperatures 177
Fatty ketones: Rapid GLC of 108
Free acids: Microdetermination in organic substances 173
Free cholesterol: Separated from triglyceride, palmitic acid, cholesterol esters, and hydrogenated lecithin by TLC, quantification by densitometry 17
Free fatty acids
Colorimetric assay 62, 174
Colorimetric assay evaluated 595
GLC to detect 0.1% homologues 111
In fats and oils by urea fractionation and GLC 404
Isopropanol use in assay of 176
Low-boiling, GLC of 240
Microtitration of 56
Plasma; by GLC 366
by TLC and colorimetry 178
colorimetric assay 165
Separated from fatty amines 312
Separated from other lipids by TLC 9
Short-chain, analysis in microbial fermentations 594
TLC in S-tanks, from lipid mixtures 400
Galactocerebrosides: Separated from glucocerebrosides by borate TLC 609
Galactosyl glycerides: On TLC 15
Gangliosides
Brain, determined by ganglioside stearic acid 430
Glucose and galactose by GLC 527
Human brain, TLC of 526
And nonlipid water-soluble substances separated from other lipids by dextran gel columns 336
Glucocerebrosides: Separated from galactocerebrosides by borate TLC 609
Glycerides
Determination of glycerol from, by GLC 181
In blood and tissues 16, 511
Lactylated 601
Nuclear magnetic resonance in aqueous suspension 14
Plasma 71
Rearrangement reactions by chromatography 600
Separated from foreign oils in olive oil by TLC 70
Separation by chromatography 72
Glycerol determination
Enzymatic, automated spectrophotometry 415
In plasma 419
Glycolipids: By TLC and column chromatography 602
Hexadecanol: TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20
Histochromatography: TLC of, directly on tissue sections 79
Hydrocarbons
Detection in human tissues by TLC 592
Polycyclic aromatic, separated by TLC, light sensitivity of hydrocarbon spots 357
Rapid GLC of 108
Separated from other neutral lipids by TLC 245
11β-Hydroxylase: In micrograms of tissue, quantitative histological distribution in rat adrenal 618
3α-Hydroxysteroid dehydrogenase: Histochemical demonstration of 532
11β-Hydroxysteroid dehydrogenase: Histochemical demonstration of 437
Inositol phosphates: Isolation and separation of 78
Ketone bodies
Acetyacetone and acetoacetic ester reaction with H_2O_2 and luminal to give chemiluminescence 303
In blood by fluorometry 599
Lactones
By TLC 317
γ- and δ- by TLC 313
Lecithin
Dipalmitoyl, TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20
Separated by gradient elution on TLC 465
Separated from other phospholipids and neutral lipids on methylated Sephadex 120
Separated from triglyceride, palmitic acid, free cholesterol, and cholesterol esters by TLC, quantification by densitometry 17
Transesterification on silicic acid columns 421
Lipase
In rat adipose tissue, by fluorometry 534
In serum, evaluation of McDonald's method 533
In serum, specific assay for 535
Pancreatic in serum, micromethod for 536
Use of thioesters for histochemical assay of 619
Lipemias: Endogenous and exogenous, by paper electrophoresis 351
Lipid biosynthesis: By filter paper disk assay 378
Lipid content: By nuclear magnetic resonance, in *Soja Hispida* 460
Lipid stains
Baker's chromate reagent 119
Fluorescein and dichlorofluorescein 117
Lipids
All neutral, separated by TLC, unidimensional 557
Autoradiographic localization in histological sections 21
Bile, fractionation of 115
Classes, complete separation on TLC 462
Distribution chromatography of 127
Erythrocyte changes during storage 122
Evaporation of solvents from 10, 13
Histochemical demonstration of, in bone 116
Histologic staining of 12; by achiotin 241
Nervous system, TLC directly on tissue sections 79
Neutral milk, by TLC 243
Plant, separated on activated charcoal 463
Plasma, prepared free from water-soluble contaminants 126
Quantitative TLC of, with photographic densitometry 466
Reactions with osmium tetroxide 125
Serum, by TLC 377
Serum, TLC as semiquantitative method for 242
Specificity of Sudan dyes for 124
TLC of; antioxidants for 380
spray reagents with double functions 121
Total, in chocolate-type products, by refractometry 379

Lipoprotein lipase
By determination of free fatty acids liberated in vivo and in vitro after incubation 354
Histochemical determination of 199
Serum, immunoelectrophoretic detection of 353
Lipoproteins
Delipidation and relipidation of 543
Free cholesterol in 591
Infrared spectroscopy of 11
Isolation and quantification of pulmonary surface-active 530
Mucopolysaccharide precipitation complexes of, in presence of metal ions 349
Paper chromatographic separation of 88
Partial delipidization of 350
Rat plasma, by disc electrophoresis 436
Separated by paper electrophoresis, cholesterol determination in 284
Serum; fluorescence by Zn-tetracycline in immunoelectrophoresis 352
low density, heparin–calcium complexes 531
Long-chain organic compounds: Intermolecular effects in, by magnetic susceptibility 295
Macrolides: Paper chromatography of 403
Menadione: GLC of 220
Methyl nonynoate: GLC of positional isomers of 361
Methyl oleate
Oleic acid effects of $CaSO_4$ and $AgNO_3$ on R_f on TLC 15
Separated from cholesterol stearate by gradient elution on TLC 465
Methylcycloheptenes: Separated from methylenecycloheptane by GLC on silver nitrate-containing stationary phases 110
Mevalonic acid: GLC of 507
Monoglycerides
Infrared spectroscopy of 11
Peroxides of, by TLC 306
Separated from phospholipids on TLC 462
TLC and estimation of isomeric 322
TLC on Aluminum Oxide G 244
Monoolein: Separated from di- and triolein by gradient elution on TLC 465
Neuraminic acid: GLC of *N*-acetyl and *N*-glycolyl 429
Neutral fat: In blood and tissues 461
Neutral lipids: Histochemical demonstration of 327
Nitrogen: And phosphorus determination with single perchloric acid digestion 515
Oleic acid: TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20
Oxidoreductases: Steroid separation of 3α- and 3β-hydroxysteroid from rat liver by gel filtration 265
Palmitic acid: Separated from triglyceride, cholesterol esters, free cholesterol, and hydrogenated lecithin by TLC, quantification by densitometry 17
Phosphatidic acid: 74
Phospholipase A: Turbidimetric assay of, for acute pancreatitis 438
Phospholipids
Brain, by TLC 513
Cellulose column chromatography of 523
Choline-containing; by TLC and column chromatography 602
histochemical demonstration of 327
on TLC, permanent sensitive stain for 426
Contaminated with steroids, TLC of 9
Detection of organophosphorus compounds on TLC 420
Determination of glycerol from, by GLC 181
Extraction from human erythrocytes 123
Extraction of milk 330
Glycerol determination, by GLC after acetolysis 73
Histochemical staining; of myelins of bird nervous tissue 524
with iron–hematoxylin 184
Hydrolysis of, with HCl 329
Infrared spectroscopy of 11
Inositol-free, by spectrophotometry 604
Ionic structure of, by infrared 183
Lecithins; on paper chromatograms 334
TLC containing $AgNO_3$ 324
TLC of, for structural analysis 603
Lysolecithins, on paper chromatograms 334
Monophosphoinositides, chromatographic behavior of 605
Myo-inositol by GLC 331
Neutron activation on paper chromatograms 185
Ninhydrin-positive, by Technicon autoanalysis 80
Noncholine, by TLC and column chromatography 602
Peroxides, by TLC 306
Phosphate by the ring-oven method 423
Phosphatidyl ethanolamine on TLC 15, 422
Phosphatidyl inositol; analysis of 606
in cat brain 77
preparation of, from bakers' yeast 607
Phosphoinositides, in inositol-requiring yeast 606
And phospholipid fatty acids, TLC quantification of 332
Phosphorus-containing decomposition products, on cellulose TLC 608
Phosphoryl serine, hydrolysis and serine decomposition of 522
Plasmalogen; aldehydes isolated as 2,4-dinitrophenylhydrazones 424
histochemical specific reactions in brain 76
separated from alkoxy lipids by chromatography 333
Polyphosphoinositide extraction and analysis 335
Positional specific hydrolysis by pancreatic lipase 328
Semiautomated determination of 518
Separation by dielectric distribution 325
Separation on commercial silica gel-loaded filter paper 75
Serum, semiautomated determination of 428
Sphingomyelin, preparative method for isolation of 188
Sphingosines, trimethyl silyl ethers of, GLC and mass spectroscopy of 516
Ultrastructural histochemical stain for 427
Phosphorus determination
In presence of Fe, Al, F^-, and SO_4 525
In presence of other ions 517
Inorganic; enzymatic 514
in plasma 512
Inorganic by isobutanol-benzene extraction 521
And nitrogen with single perchloric acid digestion 515
Sensitive 326
Phosphorus identification: On chromatograms by neutron activation analysis 187
Phytol: By polarography 342
Phytosphingosines
From sphingosine, by TLC 519, 520
TLC of 425
Phytosterols: GLC of 212
Prostaglandins
From sheep, guinea pig, monkey, and man 292
In human semen 500

Retinol: *see* **Vitamin A**
Serum: Directly applied to TLC, for lipid determination 381
Serum lipids: TLC of directly applied serum 381
β-Sitosterol: Separated from campesterol and stigmasterol by GLC 398
Solvent evaporation: From vacuum systems, continuous automatic transfer 114
Sphingolipids
By TLC 337
Paper chromatography of 610
Sphingomyelin: Separated from other phospholipids and neutral lipids on methylated Sephadex 120
Sphingosine
Separated from phytosphingosine by TLC 519, 520
Separations on TLC 186
Squalene
Separated from cholesteryl stearate and methyl oleate by gradient elution on TLC 465
TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20
Stanols: Separation from sterols by TLC on silica gel–silver nitrate 161
Steroids
Acetaldehydogenic, urinary 390
Adrenal, TLC of 9
Adrenocortical, urinary 143
Adsorption on polyethylene tubing 266
Aldehydes; saturated, ultraviolet spectroscopy of 477
β,γ-unsaturated homoallyl conjugated, ultraviolet spectroscopy of 477
Aldosterone; by borate paper electrophoresis 249
by GLC with electron capture 554
by isotope double dilution 157
in human peripheral plasma 479
in human urine, fluorometric assay by TLC 141
isotope dilution, errors due to isotope fractionation 559
secretion rate by two methods 279
urinary, determined by double isotope with TLC plus paper chromatography 248
Allopregnanediol, urinary, by TLC 37
3α-Allotetrahydrocortisol, urinary, separated from tetrahydrocortisone and tetrahydrocortisol by GLC 234
Androgens, GLC of 454
Androstane-3,17-diols, urinary, GLC of 101
Androstane type by trimethyl silanization, TLC, and GLC 39
Androst-4-ene-11,17-dihydroxy-3-oxy-17-carboxylic acid, sulfuric acid-induced fluorescence of 489
Androst-4-ene-3,17-dione; in human plasma 488
acid-induced fluorescence of 489
Androstenedione in human peripheral blood with ^{35}S-thiosemicarbazide 264
Androsterone; separated from etiocholanolone and dehydroepiandrosterone by TLC 491
sulfate, from blood 247
sulfate, human serum, GLC of 232
urinary, by GLC 3
Biosynthetic sites, histochemically 263
C_{10} and C_{20} human urinary, by GLC 472
C_{10} structure analysis by chromatography 257
Chromatography of 575
Conjugated urinary, by chromatography with charcoal 128
Conjugates, urinary, on DEAE Sephadex 570
Corticosteroids; by TLC 135
GLC of (detected by electron capture) 109
11-hydroxy, fluorometry 253, 256
11-hydroxy, in body fluids, by fluorometry 490
11-hydroxy, unconjugated, by fluorometry 470
11-hydroxy, urinary, to test adrenal cortex function 134
17-hydroxy, from 17-ketosteroids, by TLC 579
17-hydroxy, GLC of 270
17-hydroxy, in canine urine 276
oxidation to etiocholenic acids and TLC 254
plasma, by fluorometry 492
urinary, oxidation with bismuth 24
Corticosterone; fluorometric assay, interference by hydroxypregn-4-en-3-one 23
11-hydroxy, unconjugated, urinary 278
in plasma 567
in rat serum and adrenal tissue 261
plasma, TLC of, from 11-deoxycortisol 272
unconjugated, plasma and urinary, fluorometry 252
Cortisol; by isotope dilution after oxidation 24
4-^{14}C-cortisol, isotope dilution of urinary, as measure of 17-keto steroids 469
11-deoxy, plasma, TLC of 272
free, urinary, by fluorometry 256
plasma 567
plasma, TLC of 272
unconjugated, plasma by 252
unconjugated, urinary 252, 271, 278, 485
urinary 140
Dehydroepiandrosterone; separated from androsterone and etiocholanolone by TLC 491
sulfate, blood 247
sulfate, human serum, GLC of 232, 456
urinary 274
urinary, by GLC 3
11-Deoxy-17-corticosteroids, GLC of 103
Deoxycorticosterone, by GLC with electron capture 554
11-Deoxy-17-ketosteroid sulfates, by GLC 374
11-Deoxy-17-oxo, free and conjugated, separated by TLC 578
Determined with blue tetrazolium in pharmaceuticals 386
16-Deuterio-17α, nuclear magnetic resonance of 139
16-Deuterio-17β, nuclear magnetic resonance of 139
17,21-Dihydroxy-20-ketosteroids, factors influencing color intensity with phenylhydrazine–sulfuric acid 151
3α,21-Dihydroxy-5α-pregnane-11,20-dione, urinary 156
Δ^4-3,6-Diketonic, mass spectrography of 133
2,4-Dinitrophenyl hydrazone isomers, by TLC 581
Epitestosterone, urinary, by GLC 7
Estradiol; ethinyl, GLC of 112
from urinary hydrolysate, by Sephadex gel filtration 255
17β-, in human pregnancy urine 259, 260
17α-, isolated from calf bile by microsublimation 152
17β-, separated from estrone and estriol by gel filtration of enzymatically hydrolyzed urine 136
17β-, urinary 258
Estrane series, *cis-trans* isomers by mass spectrometry 583
Estrane type, by trimethylsilanization, TLC, and GLC 39
Estriol; from urinary hydrolysate, by Sephadex gel filtration 255
separated from estrone and estradiol-17β by gel filtration of enzymatically hydrolyzed urine 136
urinary, effect of mandelamine on 282

Estrogenic; conjugated bovine urinary, methods of hydrolysis 142
GLC of 98
GLC of, from liver slice 96
urinary 22
urinary, GLC of, dry sampling 97
Estrogens 558, 580; equine, conjugated, in tablets and powdered concentrates 262
GLC of 453
human urinary, separated on TLC 383
in bovine urine 150
in pregnancy urine 384, 467
plasma 155
plasma, by TLC and GLC 486
TLC of 389
TLC of, with polyamide 283
TLC of, without binder 36
urinary, GLC of, 246, 280
with chloro-*o*-toluidine 387
Estrone; from urinary hydrolysate, by Sephadex gel filtration 255
in human pregnancy urine 259, 260
isolated from calf bile by microsublimation 152
and related compounds, GLC of 483
separated from estradiol-17β and estriol by gel filtration of enzymatically hydrolyzed urine 136
TLC of, from date seeds 146
urinary 138, 258
Ethinyl-containing 474
17-α-Ethinyl estradiol from ovulation control tablets by GLC 547
Etiocholanolone; separated from androsterone and dehydroepiandrosterone by TLC 491
urinary, by GLC 3
Etiocholenic acids, TLC of 254
Formaldehydogenic Δ^4-3-oxy-C_{21}, by TLC 482
From peripheral venous blood, gas–liquid radiochromatography of 277
GLC as trimethyl silyl ethers 145
GLC continuous effluent monitoring for ^{14}C and ^{3}H 233
GLC of: 95, 237
Histochemistry of, in steroid-producing tissues 129
D-Homoestrone series, *cis-trans* isomers by mass spectrometry 583
Hydrocortisone acetate and alcohol in milk, TLC of 484
Hydroxy; Δ^5-3-hydroxy, absorption spectra in two reagents 250
3α-hydroxy-Δ^5-, infrared spectroscopy of 391
Δ^5-3-hydroxy-C_{19}-steroids, by TLC 268
mass spectroscopy of 568
17-Hydroxycorticoids, urinary and blood, by GLC 487
6-β-Hydroxycortisol, TLC of, with fluorescent indicator 560
Hydroxypregn-4-en-3-one, interfering fluorogen in corticosterone fluorometric assay of 23
11β-Hydroxyprogesterone and other C_{21} steroids 493
Infrared spectroscopy of 11; to determine polymorphism 32
17-Keto; conjugated, by TLC 28
dinitrophenylhydrazones, TLC of 388
from 17-hydroxycorticosteroids, by TLC 579
GLC of hydrolytic products of 211
human urinary, by column chromatography, gradient elution 132
human urinary, paper chromatography of 561
plasma, by chromatography 273
reaction characteristics of 573
sulfates, in human plasma 131
urinary 569
urinary, assayed by sodium metaperiodate oxidation 574
urinary, by paper chromatography 468
urinary, a comparison between sodium metaperiodate and sodium bismuthate 38
urinary, neutral, microtechnique for 137
20-Keto-17,21-dihydroxy, urinary, by the method of Kornal 251
$\Delta^{9(11)}$-12-Ketones, mass spectrometry of 281
Δ^{16}-20-Ketones, mass spectrometry of 281
Δ^4-3-Ketosteroids of androstane series, by TLC 149
Megesterol acetate, from ovulation control tablets, by GLC 547
1α-Methyl-5α-androstan-17β-ol-3-one determination compared to that of 17α-methyl-Δ^4-androsten-17β-ol-3-one 582
Monochloroacetates, GLC of 238
Nuclear magnetic resonance of 25
Nuclear magnetic resonance of transformed 577
On TLC sheets 275
Partition chromatography of ^{3}H- and ^{14}C-labeled, isotope fractionation enhancement 565
Polar, in liquor amnii 148
Polarography of, in silica gel suspensions with dropping electrodes 476
Pregnane 21-deoxy, by TLC 269
Pregnane type, by trimethyl silanization, TLC, and GLC 39
Pregnanediol; by TLC 154
in biological fluids 481
separated from pregnanetriol and pregnanetriolone by GLC 229
TLC of 576
urinary 33
urinary, by TLC 37
urinary, conjugated, periodate oxidation of glucuronosides 494
urinary, GLC of 566
Pregnanetriol; separated from pregnanediol and pregnanetriolone by GLC 229
TLC of 576
urinary 33
urinary, GLC of 566
Pregnanetriolone; separated from pregnanediol and pregnanetriol by GLC 229
urinary, GLC of 566
Preparative GLC of 102
Progestational; by GLC 4
human plasma, GLC of 104
Progesterone; in human peripheral blood, by GLC (detected by electron capture) 376
in oil, by GLC 562
urinary, 6-oxygenated metabolites of 27
Spectrophotometry and thermomicroscopic assay 147
Sulfates, liquid–liquid partition chromatography of 563
Testosterone 153; by glass fiber chromatography 30
by GLC 7

colorimetric assay of 35
conjugated, urinary 29
and epitestosterone glucuronide, determination in urine by GLC 215
halo-alkyl derivatives, GLC of, with electron capture detector 553
human plasma 488
human urinary 478
17β-1β-oside D-glucopyranosuronic acid, human blood 144
and other steroids, fluorometry in H_2SO_4 385
plasma, by ^{35}S-thiosemicarbazide 267
propionate, in oil, by GLC 562
venous peripheral plasma from adults, by isotopic double dilution 471
Tetrahydrocortisol, urinary, separated from tetrahydrocortisone and 3α-allotetrahydrocortisol by GLC 234
Tetrahydrocortisone, urinary, separated from tetrahydrocortisol and 3α-allotetrahydrocortisol by GLC 234
TLC of, and assay by perchloric acid–naphthaquinone reagent 34
TLC of, with continuous elution 564
Trimethyl silyl ethers of, artifacts produced 455
Urinary 31; GLC of, on new liquid phase 224
of pregnant cow, by GLC 368
With Δ^5 double bond bromometric determination of 473
With isolated carbonyl groups 475
Zimmermann; chromogens, fractionation of 26
chromogens, in normal and hirsute women 572
reaction for steroid groups in infants 130

Sterols
From stanols, TLC with silica gel–silver nitrate 161
3β-Hydroxy; determined with digitonin-^{3}H 41
quantitative precipitation with digitonin 396
In plant oils, fast-reacting 497
Methanesulfonates, by GLC 113
Quantitative isolation and GLC of, dietary and human fecal 162
Rat, determination of, after treatment of animal with Δ^7- and Δ^{24}-reductases 498
p-Toluenesulfonates; by GLC 113
TLC of 15

Sterols, free: TLC of 395

Stigmasterol: Separated from campesterol and β-sitosterol by GLC 398

Sulfatide
By TLC and column chromatography 602
On TLC 15
And other sulfur-containing compounds, by TLC 82
Preparative method for isolation 188
Rapid screening assay 81

Sulfur: By atomic absorption spectra 611

Terpenes
By TLC 189
Chromatostrip isomerization 190
Di, carbodicyclic, mass spectrometry of 338
Eugenol spectroscopy 528
GLC of; of oil of *Juniperus horizontalis* Moench 83
on polyamide liquid phase 1
on polyester stationary phase 93
programmed-temperature 230
solid support catalysis in 218
with open tube and spring-packed columns 458
Ketone semicarbazones, ultraviolet spectroscopy of 341
Methyl esters, GLC of 459
Mono, by $AgNO_3$-containing TLC 432
Mono, GLC of 100
Oxygenated, on TLC with $AgNO_3$ 339
Tetracyclic tri, mass spectrometry of the cucurbitacin group 612
Tri, tetra, and pentacyclic by TLC 431

α-Tocopherol
In rat liver 613
Vacuum distillation procedure for isolation of 231

Tocopherol lactone
By polarography and photometry, from aqueous solutions on TLC plates 87
Polarography of 348

Triglycerides
By GLC 551
Direct determination in butter by use of smetham extractor 464
Fatty acid composition of, olive oil, by urea fractionation and GLC 369
Fatty acids of, plasma, by TLC and colorimetry 178
From several tissues, fatty acid distribution of 318
From ucuhuba kernel fat, separated by GLC and TLC 315
GLC of 221; beyond carbon numbers 371
resolution beyond carbon numbers 219
Glycerol of, enzymatic determination, in plasma 419
Human depot fat, stereospecific analysis of 180
Hydroxyacid by TLC, $AgNO_3$-TLC, and silicic acid columns 317
Identification and quantification of, by critical solution temperature 18
Of mustard and castor, detected in other oils by paper chromatography 416
Optical activity of, in natural asymmetric 182
Optically active 321
Partial analysis with lipase and ^{131}I retention 316
Peroxides, by TLC 306
Quantity and fatty acid composition of, 3–10 μl of plasma 412
Saturated, infrared spectroscopy of 11
Separated from neutral and phospholipids by TLC 9
Separated from one another on methylated Sephadex 120
Separated from other neutral lipids by TLC 245
Separated from palmitic acid, free cholesterol, cholesterol esters, and hydrogenated lecithin by TLC, quantification by densitometry 17
Separated from phospholipids by shaking silicic acid with chloroform for mosquito assays 19
Solids content of mixed, by nuclear magnetic resonance and dilatometry 418
Structure, computer methods for determining 417
TLC of; applied to liver 320
of allyl esters after von Rudloff oxidation of 323
on Aluminum Oxide G 244
and quantitative measurement 319
Unsaturated, infrared spectroscopy of 11
Unsolved problems of analysis 413

Triolein
Separated from di- and monoolein by gradient elution on TLC 465
TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20

Tristearin: TLC limits of detection with Rhodamine, Rhodamine–I_2 and H_2SO_4 20

Ubichromenol: 340

Ubiquinone: In rat liver 613

Vitamin A: 529
A_1 and A_2, TLC of 84
Acid, isomers of 347
Determination in microgram tissue samples to determine histological distribution in rat adrenal 434
Extraction and chromatography of 346
Intermediate in biosynthesis, chromatography of 614
Plasma 86
Separated from vitamin D 343
Spectrophotometric micromethod, in liver of *Macaca rhesus* monkeys and rabbits 192
Whole blood, modification of Budovsky-Bondi method 617
Vitamin A assay: Effects of anhydro- and retro-vitamin A in pharmaceuticals 196
Vitamin D
Assay methods for 194
D_2 determination, in irradiated yeast and mycelium 85
D_2 and D_3, separated by GLC 106
Esters, by TLC 435
Esters, isolation and identification in rat tissues 191
In evaporated milk, modification of USP chemical method 433
And related compounds, ultraviolet fluorescence for 616
Separated from vitamin A 343
Vitamin E: Serum, by TLC 345
Waxes
Microcrystalline; by mass spectrometry 542
GLC of 222
infrared spectroscopy of 360
Paraffin, infrared spectroscopy of 360
Petroleum, by mass spectrometry 542